



US00D490173S

(12) **United States Design Patent**  
**Lin**

(10) **Patent No.:** **US D490,173 S**

(45) **Date of Patent:** **\*\* May 18, 2004**

(54) **EXTERIOR SURFACE CONFIGURATION OF AN AUTOMOBILE FRONT LIGHT ASSEMBLY**

(76) **Inventor:** **Yu-Chu Lin**, No. 477, Chung Shan N. Rd., Yung Kang City, Tainan Hsien (TW)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/187,145**

(22) **Filed:** **Jul. 29, 2003**

(51) **LOC (7) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Search** ..... D26/28-36; 362/61, 362/80, 81, 82, 83, 83.4, 267, 269, 275, 330-340

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D476,434 S \* 6/2003 Lin ..... D26/28
- D480,488 S \* 10/2003 Shih ..... D26/28
- D481,145 S \* 10/2003 Horowitz ..... D26/28

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Rosenberg, Klein & Lee

(57) **CLAIM**


The ornamental design for an exterior surface configuration of an automobile front light assembly, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view from the front left of an exterior surface configuration of an automobile front light assembly showing my present design; FIG. 2 is a front view thereof; FIG. 3 is a left view thereof; and, FIG. 4 is a top view thereof.

This design represents one embodiment of a design for an exterior surface configuration of an automobile front light assembly. The drawings and descriptions represent the left side embodiment. The design also contemplates a mirror symmetrical embodiment on the right side of the automobile. The dash line included denotes environment and is not part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4