



US00D490361S

(12) **United States Design Patent**  
**Rooney et al.**

(10) **Patent No.:** **US D490,361 S**

(45) **Date of Patent:** **\*\* May 25, 2004**

(54) **TIRE TREAD**

(75) Inventors: **Timothy Michael Rooney**, Munroe Falls, OH (US); **Shigehiko Suzuki**, Hudson, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/189,498**

(22) Filed: **Sep. 5, 2003**

(51) **LOC (7) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/536; D12/544**

(58) **Field of Search** ..... D12/506, 507, D12/512, 535, 536, 544, 547, 570, 571, 579, 582, 900, 901; 152/209.1, 209.11, 209.12, 209.17, 209.19, 209.22, 209.28

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D301,220 S	*	5/1989	Fujiki	.....	D12/579
D301,852 S	*	6/1989	Fujiki	.....	D12/571
D307,406 S	*	4/1990	Tatsumi	.....	D12/536
D309,282 S	*	7/1990	Hasegawa	.....	D12/536

**OTHER PUBLICATIONS**

Dunlop KT761 and KT856 ATV-Off Road Tires, 2001 Tread Design Guide, Jan. 2001, p. 205. 2/5 & 3/5.\*

\* cited by examiner

*Primary Examiner*—Robert M. Spear

(74) *Attorney, Agent, or Firm*—David L. King; Richard B. O’Planick

(57) **CLAIM**

The ornamental Design for a tire tread, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4