

(12) United States Design Patent (10) Patent No.: US D490,421 S Everett et al. (45) Date of Patent: ** May 25, 2004

(56)

(57)

- (54) PORTABLE DELIVERY INFORMATION ACQUISITION DEVICE
- (75) Inventors: Peter Everett, Philadelphia, PA (US);
 Robert Bruno, Avon, CT (US); Ian Jenkins, Stony Brook, NY (US); Greg Johnson, Milford, OH (US); Frank Gong, Syosset, NY (US); Vladimir Yakhnich, Brooklyn, NY (US); Igor Naroditsky, Brooklyn, NY (US); Mark

References Cited

U.S. PATENT DOCUMENTS

D359,920 S	≉	7/1995	Sakamoto D10/65
5,964,830 A	≉	10/1999	Durrett 709/200
D470,137 S	≉	2/2003	Everett et al D14/342

* cited by examiner

Primary Examiner—Freda S. Nunn(74) Attorney, Agent, or Firm—Alston & Bird LLP

William Foohey, Austin, TX (US); Kimberly Ann Duren, Elgin, TX (US)

- (73) Assignee: United Parcel Service of America, Inc., Atlanta, GA (US)
- (**) Term: 14 Years
- (21) Appl. No.: 29/179,323
- (22) Filed: Apr. 7, 2003
- (52) U.S. Cl. D14/342
- (58) Field of Search D14/341–346; 235/145 A, 145 R; 341/22, 23; 345/156, 168, 169, 172, 173; 349/12; 361/680–686; D10/65; 700/200

CLAIM

The ornamental design for a portable delivery information acquisition device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the portable delivery information acquisition device;
FIG. 2 is another partial perspective view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom perspective view thereof;
FIG. 5 is another bottom perspective view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a top end elevational view thereof;
FIG. 8 is a left side elevational view thereof;
FIG. 9 is a top perspective view thereof.

1 Claim, 8 Drawing Sheets



U.S. Patent May 25, 2004 Sheet 1 of 8 US D490, 421 S



Fig. 1

U.S. Patent May 25, 2004 Sheet 2 of 8 US D490, 421 S





U.S. Patent May 25, 2004 Sheet 3 of 8 US D490, 421 S



Fig. 3

U.S. Patent May 25, 2004 Sheet 4 of 8 US D490, 421 S



Fig. 4

U.S. Patent May 25, 2004 Sheet 5 of 8 US D490, 421 S



Fig. 5

•

U.S. Patent May 25, 2004 Sheet 6 of 8 US D490, 421 S



Fig. 6

U.S. Patent May 25, 2004 Sheet 7 of 8 US D490, 421 S



U.S. Patent May 25, 2004 Sheet 8 of 8 US D490, 421 S



Fig. 9