



US00D490692S

(12) **United States Design Patent**
Williams

(10) **Patent No.:** **US D490,692 S**

(45) **Date of Patent:** **** Jun. 1, 2004**

(54) **WIRE TIE**

(76) **Inventor:** **Nadelle M. Williams**, 33365 Morning View Rd., Temecula, CA (US) 92592

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/182,770**

(22) **Filed:** **Jun. 2, 2003**

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Search** D8/349, 354, 355, D8/356, 373, 380, 382, 394, 396, 383, 363; 24/16 PB, 115 A, 115 G, 115 R, 129 R, 455, 16 R, 122.6, 129 B, 129 D, 339, 457, 531, 555, 563, 570; 248/49, 55, 58, 65, 66, 68.1, 74.1, 74.2, 74.3, 74.4, 200, 51, 52, 67.5, 72, 74.5, 205, 205.3, 228.6, 228.7, 230.6, 231.71; 174/175

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-------------|---|---------|-----------------|-------|----------|
| 853,092 A | * | 5/1907 | Knoth | | 237/79 |
| 942,007 A | * | 11/1909 | Morrill | | 24/129 R |
| 1,681,731 A | * | 8/1928 | Gottwald | | 138/106 |
| 1,847,473 A | * | 3/1932 | De Right | | 140/118 |
| 2,600,012 A | * | 6/1952 | Macy | | 439/877 |
| 3,026,076 A | * | 3/1962 | Bender | | 248/49 |
| 3,228,640 A | * | 1/1966 | Wolsh | | 248/72 |
| 3,576,304 A | * | 4/1971 | Gillemot et al. | | 238/74.2 |

| | | | | | |
|--------------|---|---------|------------------|-------|-----------|
| 3,595,511 A | * | 7/1971 | Summerville, Jr. | | 248/264 |
| 3,696,920 A | * | 10/1972 | Lahay | | 206/370 |
| 3,978,626 A | * | 9/1976 | Weinar | | 52/127.3 |
| 4,118,838 A | * | 10/1978 | Schiefer et al. | | 24/115 R |
| 4,910,362 A | * | 3/1990 | Kinner | | 174/135 |
| D308,818 S | * | 6/1990 | Powrzanas | | D8/396 |
| 5,411,228 A | * | 5/1995 | Morawa et al. | | 248/74.5 |
| 5,540,689 A | * | 7/1996 | Sanders et al. | | 606/61 |
| 5,615,852 A | * | 4/1997 | Heidorn et al. | | 248/74.5 |
| D399,727 S | * | 10/1998 | Richter | | D8/380 |
| 5,820,095 A | * | 10/1998 | Stone | | 248/316.7 |
| D406,749 S | * | 3/1999 | Selk | | D8/356 |
| D424,923 S | * | 5/2000 | Lodi | | D8/396 |
| 6,392,147 B1 | * | 5/2002 | Hier et al. | | 174/70 C |
| 6,393,670 B1 | * | 5/2002 | Bealmear | | 24/129 R |
| 6,431,500 B1 | * | 8/2002 | Jacobs et al. | | 248/51 |

* cited by examiner

Primary Examiner—James Gandy
Assistant Examiner—Elizabeth Albert

(57) **CLAIM**

The ornamental design for a wire tie, as shown and described.

DESCRIPTION




FIG. 1 is a front/back view of a wire tie showing my new design.

FIG. 2 is a side view of the wire tie.

FIG. 3 is a top view of the wire tie; and,

FIG. 4 is a bottom view of the wire tie.

1 Claim, 2 Drawing Sheets






FIG. 1

FIG. 2




FIG. 4




FIG. 3