



US00D490710S

(12) **United States Design Patent** (10) **Patent No.:** **US D490,710 S**
Bayer et al. (45) **Date of Patent:** **** Jun. 1, 2004**

(54) **ACTUATOR OVERCAP FOR A PRESSURIZED CONTAINER**

(75) Inventors: **Christian Bayer**, Armonk, NY (US);
Daniel A. Ferrara, Jr., Bantam, CT (US)

(73) Assignee: **Precision Valve Corporation**, Yonkers, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/170,796**

(22) Filed: **Nov. 12, 2002**

(51) **LOC (7) Cl.** **09-07**

(52) **U.S. Cl.** **D9/448**

(58) **Field of Search** D9/300, 435, 447,
D9/448, 449; 222/153.1, 153.11, 153.12,
153.13, 153.14, 402, 402.1, 402.11, 402.13,
403.14, 402.15; 239/333, 337; 220/915

(56) **References Cited**

U.S. PATENT DOCUMENTS

D196,686 S	10/1963	Croyle
D198,344 S	6/1964	Swett
D200,674 S	3/1965	Abplanalp
D200,675 S	3/1965	Abplanalp
D200,676 S	3/1965	Abplanalp
D200,821 S	4/1965	Abplanalp
D201,652 S	7/1965	Podall

(List continued on next page.)

OTHER PUBLICATIONS

Photographs A1–A6 showing an aerosol actuator cap.*

Photographs B1–B6 showing an aerosol actuator cap.*

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Gregory Andoll

(74) *Attorney, Agent, or Firm*—Kilgannon & Steidl

(57) **CLAIM**

We claim the ornamental design for actuator overcap for a pressurized container, as shown.

DESCRIPTION

FIG. 1 is a right, top, rear perspective view of an actuator overcap for a pressurized container embodying our new design;

FIG. 2 is a right, top, front perspective view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof, the left side being a mirror image thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a right, top, rear perspective view of a second embodiment of the actuator overcap shown in FIG. 1;

FIG. 8 is a right, top, front perspective view of the actuator overcap of FIG. 7;

FIG. 9 is a rear elevational view of the actuator overcap of FIG. 7;

FIG. 10 is a right side elevational view of the actuator overcap of FIG. 7, the left side being a mirror image thereof;

FIG. 11 is a front elevational view of the actuator overcap of FIG. 7;

FIG. 12 is a top plan view of the actuator overcap of FIG. 7;

FIG. 13 is a right, top, rear perspective view of a third embodiment of the actuator overcap shown in FIG. 1;

FIG. 14 is a right, top, front perspective view of the actuator overcap of FIG. 13;

FIG. 15 is a rear elevational view of the actuator overcap of FIG. 13;



FIG. 16 is a right side elevational view of the actuator overcap of FIG. 13, the left side being a mirror image thereof;

FIG. 17 is a front elevational view of the actuator overcap of FIG. 13; and,

FIG. 18 is a top plan view of the actuator overcap of FIG. 13.

The bottom of the actuator overcap forms no part of the claimed design. Likewise, the broken lines on the top of the actuator overcap form no part of the claimed design.

1 Claim, 6 Drawing Sheets



U.S. PATENT DOCUMENTS					
D201,718	S	7/1965	Abplanalp	4,416,398	A 11/1983 Knickerbocker
3,206,081	A	9/1965	Sagarin	4,549,674	A * 10/1985 Alticosalian 222/402.13
D204,031	S	3/1966	Abplanalp	D291,782	S 9/1987 O’Neil, Jr. et al.
3,257,044	A	6/1966	Seaquist	4,726,519	A 2/1988 Muoio
3,260,416	A	7/1966	Abplanalp	4,805,839	A 2/1989 Malek
3,269,614	A	8/1966	Abplanalp	D301,205	S * 5/1989 Joyaux et al. D9/448
3,313,458	A	4/1967	Braun	D313,345	S 1/1991 Wefler
3,317,091	A	5/1967	Focht	D316,675	S * 5/1991 Cramer D9/448
3,329,320	A	7/1967	Braun	D378,802	S 4/1997 Corcoran
D210,574	S	3/1968	Abplanalp	D396,638	S 8/1998 Demarest
3,397,822	A	8/1968	Peters	D406,763	S 3/1999 Watkins et al.
3,583,607	A	6/1971	Beck	D407,018	S 3/1999 Soller et al.
D246,895	S	1/1978	van der Heijden	D411,801	S 7/1999 Kinneir et al.
4,068,782	A	1/1978	Van der Heijden	D411,955	S 7/1999 Richiger
4,095,725	A *	6/1978	Goncalves 222/153.1	D416,490	S * 11/1999 Kunesh D9/448
4,328,911	A	5/1982	Knickerbocker	6,006,957	A 12/1999 Kunesh
4,354,621	A	10/1982	Knickerbocker	D436,038	S 1/2001 Ruiz de Gopegui
				* cited by examiner	




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG.7




FIG.8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG.13




FIG.14

FIG.15




FIG.16




FIG.17





FIG.18