

(12) United States Design Patent (10) Patent No.: US D490,886 S (45) **Date of Patent:** Jun. 1, 2004 Engerant **

AIR FRESHENER DEVICE (54)

- Inventor: Anne Engerant, Slough (GB) (75)
- **Reckitt Benckiser (UK) Limited,** (73)Assignee: Berkshire (GB)
- 14 Years (**) Term:
- Appl. No.: 29/170,711 (21)

Primary Examiner—M. H. Tung (74) Attorney, Agent, or Firm-Norris McLaughlin & Marcus, PA

CLAIM (57)

The ornamental design for an air freshener device, as shown and described.

DESCRIPTION

(22) Filed: Nov. 12, 2002

(30)Foreign Application Priority Data

(GB) 3003644 May 14, 2002

- LOC (7) Cl. 23-04 (51)
- (52)
- **Field of Search** D23/366–69; 239/211, (58)239/34–60; 422/120, 122–4; 261/DIG. 65

(56)**References Cited U.S. PATENT DOCUMENTS**

> D379,500 S * 5/1997 King et al. D401,855 S * 12/1998 Nilssen et al. D441,441 S * 5/2001 Upson D443,924 S * 6/2001 Renella D447,551 S * 9/2001 A'Court D455,485 S * 4/2002 Hensel 5/2002 Buthier D456,888 S * D459,459 S * 6/2002 Yamada et al. D461,006 S * 7/2002 Buthier

* cited by examiner

FIG. 1 is a front perspective view from above and from one side of the air freshener device.

FIG. 2 is a rear perspective view from above and from one side of the air freshener device.

FIG. 3 is planar view of the front of the air freshener device. FIG. 4 is a planar view of the rear of the air freshener device. FIG. 5 is a top planar view from above of the air freshener device.

FIG. 6 is a bottom planar view from above of the air freshener device.

FIG. 7 is a side planar view of one side of the air freshener device.

FIG. 8 is a side planar view of the other side of the air freshener device.

FIG. 9 is a cross-sectional view of the air freshener along the plane defined by line I—I according to FIG. 4; and, FIG. 10 is a cross-sectional view of the air freshener along the plane defined by line II—II according to FIG. 4.

1 Claim, 3 Drawing Sheets



U.S. Patent Jun. 1, 2004 Sheet 1 of 3 US D490,886 S



Fig.1.





U.S. Patent Jun. 1, 2004 Sheet 2 of 3 US D490,886 S







Fig.5.

U.S. Patent Jun. 1, 2004 Sheet 3 of 3 US D490,886 S









Fig.8.



Fig.9.



