



US00D490917S

(12) **United States Design Patent**
Lin(10) Patent No.: **US D490,917 S**
(45) Date of Patent: ** Jun. 1, 2004(54) EXTERIOR SURFACE CONFIGURATION OF
A VEHICLE FRONT LIGHT(76) Inventor: **Yu-Chu Lin**, No. 477, Chung Shan N.
Rd., Yung Kang City, Tainan Hsien
(TW)(**) Term: **14 Years**(21) Appl. No.: **29/189,868**(22) Filed: **Sep. 12, 2003**(51) LOC (7) Cl. **26-04**(52) U.S. Cl. **D26/28**(58) Field of Search D26/28-36; 362/61,
362/80, 81, 82, 83, 83.4, 267, 269, 275,
330-340(56) **References Cited**

U.S. PATENT DOCUMENTS

D472,655 S * 4/2003 Lin D26/28
D476,434 S * 6/2003 Lin D26/28
D477,678 S * 7/2003 Lin D26/28
D482,147 S * 11/2003 Lin D26/28

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) Attorney, Agent, or Firm—Rosenberg, Klein & Lee

(57) **CLAIM**

The ornamental design for an exterior surface configuration of a vehicle front light, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view from the front left of an exterior surface configuration of a vehicle front light showing my present design;

FIG. 2 is a front view thereof;

FIG. 3 is a left view thereof; and,

FIG. 4 is a top view thereof.

This design represents one embodiment of a design for an exterior surface configuration of a vehicle front light. The drawings and descriptions represent the left side embodiment. The design also contemplates a mirror symmetrical embodiment on the right side of the vehicle. The dash line included denotes environment and is not part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4