



US00D491085S

(12) **United States Design Patent**
Shambaugh, Jr. et al.

(10) **Patent No.:** **US D491,085 S**
(45) **Date of Patent:** **** Jun. 8, 2004**

(54) **WIRE TRACER TRANSMITTER**

D413,824 S * 9/1999 Luebke et al. D10/78
6,646,562 B1 * 11/2003 Chang 340/664

(75) Inventors: **Charles Raymond Shambaugh, Jr.**,
Coral Gables, FL (US); **John Wesley**
Hyacinthe, Plantation, FL (US)

* cited by examiner

(73) Assignee: **Advanced Test Products, Inc.**,
Miramar, FL (US)

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Baker & Hostetler, LLP

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a wire tracer transmitter, as shown and described.

(21) Appl. No.: **29/182,944**

DESCRIPTION

(22) Filed: **Jun. 4, 2003**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/78**

(58) **Field of Search** D10/78; 324/75.23,
324/637, 76.19, 76.5, 115, 657; 340/635,
652, 664; 327/133, 149; 714/732, 734

FIG. 1 is a perspective view of the wire tracer transmitter, particularly showing the inventive design thereof;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D355,609 S * 2/1995 Lane et al. D10/78

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

