



US00D491115S

(12) **United States Design Patent**
Taylor

(10) **Patent No.:** **US D491,115 S**
(45) **Date of Patent:** **** Jun. 8, 2004**

(54) **POWER WHEELCHAIR**

(75) Inventor: **Paul Taylor**, West Wyoming, PA (US)

(73) Assignee: **Pride Mobility Products Corporation**,
Exeter, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/186,402**

(22) Filed: **Jul. 14, 2003**

(51) **LOC (7) Cl.** **12-99**

(52) **U.S. Cl.** **D12/131**

(58) **Field of Search** D12/128-133;
280/297, 304.1; 180/65.5, 65.6, 907, 908

(56) **References Cited**

U.S. PATENT DOCUMENTS

D406,803 S * 3/1999 Kruse D12/131
D468,669 S * 1/2003 Hopely, Jr. D12/131

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath
LLP

(57) **CLAIM**

The ornamental design for a power wheelchair, as shown
and described.

DESCRIPTION

FIG. 1 is an isometric view of a first embodiment of the
design of a power wheelchair of the present invention.

FIG. 2 is a left side elevational view of the power wheelchair
shown in FIG. 1, it being understood that the opposite side
view is substantially a mirror image of that shown in this
FIG. 2.

FIG. 3 is a front elevational view of the power wheelchair
as shown in FIG. 1.

FIG. 4 is a rear elevational view of the power wheelchair as
shown in FIG. 1.

FIG. 5 is top plan view of the power wheelchair as shown
in FIG. 1.

FIG. 6 is a bottom plan view of the power wheelchair as
shown in FIG. 1.

FIG. 7 is an isometric view of an alternate embodiment of
the power wheelchair substantially similar to FIG. 1 herein
but including a single seat mounting post.

FIG. 8 is an isometric view of the power wheelchair as
shown in FIG. 1 of our new design with a chair and
controller shown in broken lines the portion shown in
broken line being for environment purposes only and not
forming a part of the present design.

FIG. 9 is an isometric view of a second embodiment of the
design of a power wheelchair of the present invention.

FIG. 10 is a left side elevational view of the power wheel-
chair shown in FIG. 9, it being understood that the opposite
side view is substantially a mirror image of that shown in
this FIG. 10.

FIG. 11 is a top plan view of the power wheelchair as shown
in FIG. 9.

FIG. 12 is a bottom plan view of the power wheelchair as
shown in FIG. 9.

FIG. 13 is a front elevational view of the power wheelchair
as shown in FIG. 9.

FIG. 14 is a rear elevational view of the power wheelchair
as shown in FIG. 9.

FIG. 15 is an isometric view of a third embodiment of the
design of a power wheelchair of the present invention.

FIG. 16 is a left side elevational view of the power wheel-
chair shown in FIG. 15.

FIG. 17 is a right side elevational view of the power
wheelchair shown in FIG. 15.


FIG. 18 is a front elevational view of the power wheelchair
shown in FIG. 15.

FIG. 19 is a rear elevational view of the power wheelchair
shown in FIG. 15.

FIG. 20 is a top plan view of the power wheelchair shown
in FIG. 15; and,

FIG. 21 is a bottom plan view of the power wheelchair
shown in FIG. 15.

1 Claim, 17 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21