



US00D491576S

(12) **United States Design Patent**
Yamaguchi

(10) **Patent No.:** **US D491,576 S**
(45) **Date of Patent:** **** Jun. 15, 2004**

(54) **FACSIMILE MACHINE**
(75) **Inventor:** **Yasutake Yamaguchi, Chiryu (JP)**
(73) **Assignee:** **Brother Industries, Limited, Nagoya (JP)**
(**) **Term:** **14 Years**

5,337,165 A * 8/1994 Riouset et al. 358/496
D368,259 S * 3/1996 Bishop et al. D14/468
D371,124 S * 6/1996 Yamaguchi D14/468
6,040,919 A * 3/2000 Iwata et al. 358/400
D443,620 S * 6/2001 Nakamura et al. D14/468
D452,510 S * 12/2001 Irvine et al. D14/467

* cited by examiner

(21) **Appl. No.:** **29/185,387**
(22) **Filed:** **Jun. 27, 2003**
(30) **Foreign Application Priority Data**

Jan. 7, 2003 (JP) 2003-000076

(51) **LOC (7) Cl.** **16-03**
(52) **U.S. Cl.** **D14/468; D14/467**
(58) **Field of Search** **D14/462-471;**
358/400-404

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Oliff & Berridge, PLC

(57) **CLAIM**


The ornamental design for a facsimile machine, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a facsimile machine;
FIG. 2 is a rear view thereof;
FIG. 3 is a left-side view thereof;
FIG. 4 is a right-side view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof; and,
FIG. 7 is a perspective view thereof.
The broken lines which define the bounds of the claimed design form no part thereof.

(56) **References Cited**
U.S. PATENT DOCUMENTS
4,914,281 A * 4/1990 Benton et al. 235/492
D323,159 S * 1/1992 Iwasaki et al. D14/468
5,183,431 A * 2/1993 Todokoro 446/142
D345,155 S * 3/1994 Hiroki et al. D14/468

1 Claim, 4 Drawing Sheets






FIG.1




FIG.2




FIG. 3




FIG. 4

FIG. 5





FIG. 6






FIG. 7