



US00D491736S1

(12) **United States Design Patent** (10) **Patent No.:** **US D491,736 S**
Kane et al. (45) **Date of Patent:** **** Jun. 22, 2004**

- (54) **ROCKER DEVICE** 4,371,206 A 2/1983 Johnson, Jr.
 4,688,850 A 8/1987 Brownlie et al.
 D311,822 S 11/1990 Meeker
 5,052,749 A 10/1991 Groenendijk
 D326,958 S * 6/1992 Royle et al. D6/348
 5,178,438 A 1/1993 Beger
 5,322,343 A 6/1994 Parker et al.
 5,507,564 A 4/1996 Huang
 D383,319 S * 9/1997 Montes de Oca D6/348
 D388,621 S * 1/1998 Reese D6/348
 5,860,698 A 1/1999 Asenstorfer et al.
 6,341,816 B1 1/2002 Chen et al.
 D480,884 S * 10/2003 Kane et al. D6/348
- (75) Inventors: **Michael Kane**, Conesus, NY (US);
Robert David Piwko, Jr., Hamburg,
 NY (US); **John F. Rhein**, Hamburg,
 NY (US)
- (73) Assignee: **Mattel, Inc.**, El Segundo, CA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/187,730**
- (22) Filed: **Aug. 7, 2003**

Related U.S. Application Data

- (62) Division of application No. 29/165,620, filed on Aug. 15, 2002, now Pat. No. Des. 480,884.
- (51) **LOC (7) Cl.** **06-01**
- (52) **U.S. Cl.** **D6/348**
- (58) **Field of Search** D6/334, 335, 344,
 D6/348, 361, 374, 375, 379, 500-502;
 297/258.1, 271.5, 271.6, 270.3, 452.18;
 D21/688

References Cited

U.S. PATENT DOCUMENTS

- | | | |
|-------------|---------|--------------|
| D100,181 S | 6/1936 | Terker |
| D101,632 S | 10/1936 | Hoffman |
| D102,046 S | 11/1936 | Wexelblatt |
| D151,675 S | 11/1948 | Bird |
| D180,031 S | 4/1957 | Pearlstone |
| 3,099,477 A | 7/1963 | O'Herron |
| 3,334,944 A | 8/1967 | Gould et al. |
| 3,492,047 A | 1/1970 | Dudouyt |
| 3,528,701 A | 9/1970 | Laughlin |
| 4,141,095 A | 2/1979 | Adachi |

* cited by examiner

Primary Examiner—Stacia Cadmus

Assistant Examiner—Mimosa De

(74) *Attorney, Agent, or Firm*—Cooley Godward LLP

(57) **CLAIM**

The ornamental design for a rocker device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a rocker device showing my new design;
 FIG. 2 is a top view of the rocker device of FIG. 1;
 FIG. 3 is a bottom view of the rocker device of FIG. 1;
 FIG. 4 is a front view of the rocker device of FIG. 1;
 FIG. 5 is a rear view of the rocker device of FIG. 1;
 FIG. 6 is a right side view of the rocker device of FIG. 1;
 and,
 FIG. 7 is a left side view of the rocker device of FIG. 1.
 The broken lines in the figures merely illustrate the environment for the rocker device of the present design and therefore form no part of the claimed design.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

