

US00D491858S1

(12) United States Design Patent (10) Patent No.:

US D491,858 S (45) Date of Patent: Jun. 22, 2004 Velazco

(54)SURFACE CONFIGURATION OF TRIM FOR A WHEEL WELL FOR A VEHICLE

Inventor: Geoffrey Antenor Velazco, Venice, CA

(US)

Bayerische Motoren Werke Assignee:

Aktiengesellschaft, Munich (DE)

14 Years Term:

Appl. No.: 29/180,247

Apr. 22, 2003 (22)Filed:

Foreign Application Priority Data (30)

Oct.	23, 2002	DE)	• •		 •	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•		,	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	 •	•	•			•	••		• •	• •		4	ļ	C)2	, 1	0	8		8	7	2)
(51)	LOC (7) C	1.			 •	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	,	•	•	•	•	•	•	•		•	 •	•		•	•	•			•	•		•	•	•		•	•		•	•	•	•	•	•		•	•	 •	•	•							• • •	•••	• • •		•	•	•	1	ĹŹ	2.		1	6)
(52)	U.S. Cl	• • • • • •	• • • •		 •	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	,	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•		•	•	•	•	•	•	•	•	•		•	•	•	•	 •			I))]	Ľ	2	/	1	9	6	•]	D	1		2,	/]	[3.	4	-
(58)	Field of Se	arch	h	ĺ				L																					•	•	•	•	•	 •	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	 •	•	•			•			I	D	1	2	/	1	9	6	,		1	8	4	ŀ,	,
																																																																											D	1		2,	/]	(9	0)

(56)**References Cited**

U.S. PATENT DOCUMENTS

D286,867	S	*	11/1986	Envall et al	D12/184
D317,586	S	*	6/1991	Yoshinao et al	D12/184
5,238,268	A	*	8/1993	Logan	280/848
5,340,154	A	*	8/1994	Scott	280/848
5,697,644	A	*	12/1997	Logan et al	280/848
D431,509	S	*	10/2000	Lund	D12/190
D482,995	\mathbf{S}	*	12/2003	Saleen	D12/196
D483,312	S	*	12/2003	Saleen	D12/196

^{*} cited by examiner

Primary Examiner—Melody N. Brown

(74) Attorney, Agent, or Firm—Crowell & Moring LLP

(57)**CLAIM**

The ornamental design for a surface configuration of trim for a wheel well for a vehicle, as shown and described.

DESCRIPTION

This application is related to co-pending Application Ser. No. 29/180,269, of the inventor, entitled "Surface Configuration of a Vehicle, Toy and/or Other Replicas".

FIG. 1 is a front view of a first embodiment of a surface configuration of trim for a wheel well for a vehicle according to my novel design;

FIG. 2 is a left perspective view of the first embodiment of the surface configuration of trim for a wheel well for a vehicle according to my novel design;

FIG. 3 is a right perspective view of the first embodiment of the surface configuration of trim for a wheel well for a vehicle according to my novel design;

FIG. 4 is a front view of a second embodiment of the surface configuration of trim for a wheel well for a vehicle according to my novel design;

FIG. 5 is a right perspective view of the second embodiment of the surface configuration of trim for a wheel well for a vehicle according to my novel design; and,

FIG. 6 is a left perspective view of the second embodiment of the surface configuration of trim for a wheel well for a vehicle according to my novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets





