

US00D491882S1

(12) **United States Design Patent** (10) **Patent No.:** **US D491,882 S**
Williams (45) **Date of Patent:** **** Jun. 22, 2004**

(54) **TIRE TREAD**

(75) Inventor: **Ellen MacDonald Williams**, Greer, SC
(US)

(73) Assignee: **Michelin Recherches et Techniques**
S.A. (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/186,083**

(22) Filed: **Jul. 9, 2003**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/551**

(58) **Field of Search** D12/546, 551-556,
D12/563-565, 567, 579, 581, 586-590,
599, 600-603, 900; 152/209.1-209.28

(56) **References Cited**

U.S. PATENT DOCUMENTS

D366,020 S	*	1/1996	Himuro et al.		D12/552
D369,133 S		4/1996	Van Emburg		D12/147
D427,953 S	*	7/2000	Murata		D12/552
D446,170 S		8/2001	Williams		D12/146
D449,816 S		10/2001	Hutz		D12/564
D450,293 S		11/2001	Williams		D12/565
D456,347 S	*	4/2002	Labbe et al.		D12/603
D471,149 S	*	3/2003	Endo et al.		D12/551
D471,150 S	*	3/2003	Endo et al.		D12/551
D484,455 S	*	12/2003	Leynaert et al.		D12/555

OTHER PUBLICATIONS

Hankook Ventus K102 Tire, 2002 Tread Design Guide, Jan.
2002, p. 37. 3/2.*

Tread Design Guide, 1992, p. 41, BFGoodrich COMP T/A
ZR.

Tread Design Guide, 1999, p. 14, BRIDGESTONE Potenza
S-02 Pole Position.

Tread Design Guide, 2002, p. 17, BRIDGESTONE Potenza
S-02.

Tread Design Guide, 2002, p. 18, BRIDGESTONE Dueler
H/P.

Tread Design Guide, 2002, p. 24, DAYTON Daytona ZR
with UNI-T.

Tread Design Guide, 2002, p. 38, HERCULES G5000Z.

Tread Design Guide, 2002, p. 59, RIKEN Defender HR.

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Robert R. Reed;
Christopher P. Crecente; Martin Farrell

(57) **CLAIM**

The ornamental design for a tire tread, as shown and
described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing my new
design, it being understood that the tread pattern repeats
circumferentially throughout the outer circumference and
shoulder of a tire, the opposite side perspective view being
an inverted image thereof; and,

FIG. 2 is an enlarged fragmentary front elevation view of the
tire tread thereof of FIG. 1.

In the drawings, the dark stippled surface shading represents
the recessed portion of the tread grooves, having a depth as
best shown along the right edge of FIG. 1. The broken line
disclosure of the tire sidewall and inner bead is for illustra-
tive purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2