

US00D491938S1

(12) **United States Design Patent**  
**Muto et al.**

(10) **Patent No.:** **US D491,938 S**  
(45) **Date of Patent:** **\*\* Jun. 22, 2004**

(54) **DECODER/ENCODER**  
(75) Inventors: **Kanji Muto**, Chigasaki (JP); **Masahiko Moriwaki**, Yokohama (JP)  
(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)  
(\*\*) Term: **14 Years**

D456,368 S \* 4/2002 Beecroft et al. .... D14/125  
D470,465 S \* 2/2003 Lee ..... D14/125  
D476,965 S \* 7/2003 Marcotte et al. .... D14/125  
D482,369 S \* 11/2003 Matuschek ..... D14/496

**FOREIGN PATENT DOCUMENTS**

JP D1113701 7/2001  
JP D1144236 6/2002

\* cited by examiner

*Primary Examiner*—Joel Sincavage  
(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(21) Appl. No.: **29/188,442**  
(22) Filed: **Aug. 19, 2003**  
(30) **Foreign Application Priority Data**

Feb. 27, 2003 (JP) ..... 2003-004883

(51) **LOC (7) Cl.** ..... **14-02**  
(52) **U.S. Cl.** ..... **D14/356**  
(58) **Field of Search** ..... D14/125, 356,  
D14/368, 496; D13/184

(57) **CLAIM**

The ornamental design for a decoder/encoder, as shown and described.


**DESCRIPTION**

FIG. 1 is a top perspective view of a decoder/encoder of the present invention;  
FIG. 2 is a front view thereof;  
FIG. 3 is a top view thereof;  
FIG. 4 is a first side view thereof;  
FIG. 5 is a second side view thereof;  
FIG. 6 is a rear view thereof; and,  
FIG. 7 is a bottom view thereof.

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**

D370,481 S \* 6/1996 Brooks ..... D14/496  
D383,456 S \* 9/1997 Pierce et al. .... D14/125  
D393,637 S \* 4/1998 Franek ..... D14/125  
D412,327 S \* 7/1999 Curbbun et al. .... D14/496  
D415,486 S \* 10/1999 Lee et al. .... D14/126  
D451,102 S \* 11/2001 Huang ..... D14/496

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7