



US00D492049S1

(12) **United States Design Patent**
Lin

(10) **Patent No.:** **US D492,049 S**
(45) **Date of Patent:** **** Jun. 22, 2004**

(54) **EXTERIOR SURFACE CONFIGURATION OF
A VEHICLE REAR LIGHT**

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Rosenberg, Klein & Lee

(76) **Inventor:** **Yu-Chu Lin**, No. 477, Chung Shan N.
Rd., Yung Kang City, Tainan Hsien
(TW)

(57) **CLAIM**

The ornamental design for an exterior surface configuration
of a vehicle rear light, as shown and described.

(**) **Term:** **14 Years**

DESCRIPTION

(21) **Appl. No.:** **29/187,221**

FIG. 1 is a perspective view from the front right of an
exterior surface configuration of a vehicle rear light showing
my present design;

(22) **Filed:** **Jul. 30, 2003**

FIG. 2 is a front view thereof;

(51) **LOC (7) Cl.** **26-04**

FIG. 3 is a right side view thereof; and,

(52) **U.S. Cl.** **D26/28**

FIG. 4 is a top view thereof.

(58) **Field of Search** D26/28–36; 362/61,
362/80, 81, 82, 83, 83.4, 267, 269, 275,
330–340

This design represents one embodiment of a design for an
exterior surface configuration of a vehicle rear light. The
drawings and descriptions represent the right side embodi-
ment. The design also contemplates a mirror symmetrical
embodiment on the left side of the vehicle. The dash line
included denotes environment and is not part of the claimed
design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|--------------|-------|--------|
| D476,435 S | * | 6/2003 | Lin | | D26/28 |
| D477,887 S | * | 7/2003 | Lin | | D26/28 |
| D481,479 S | * | 10/2003 | Lin | | D26/28 |
| D481,481 S | * | 10/2003 | Reiss et al. | | D26/28 |
| D481,806 S | * | 11/2003 | Lin | | D26/28 |

* cited by examiner

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG . 3




FIG . 4