

US00D492090S1

(12) United States Design Patent (10) Patent No.:

Oya et al.

US D492,090 S

(45) Date of Patent:

** Jun. 29, 2004

UNDERPANTS FOR A WOMAN

Inventors: Kei Oya, Kyoto (JP); Masami Saito,

Kyoto (JP); Mayumi Ogawa, Kyoto

(JP)

Wacoal Corp., Kyoto (JP) Assignee:

14 Years Term:

Appl. No.: 29/168,223

Sep. 30, 2002 (22)Filed:

LOC (7) Cl. 02-01

U.S. Cl. D2/712

(58)

> D2/712, 738, 704, 731, 737; 2/67, 71–73, 76, 78.1, 78.2, 78.3, 464, 466, 400–402, 404–406, 409; 450/94, 97, 100–106, 115,

> > 116, 149, 129, 136, 140, 142, 148

References Cited (56)

U.S. PATENT DOCUMENTS

2,493,357 A	*	1/1950	Miller	2/406
5,535,452 A	*	7/1996	Rozenblat	2/403

OTHER PUBLICATIONS

BFIA Feb. 2000□□p. 19 Playtex bra□□.*

Hong Kong Apparel vol. II 2001□□p. 239 and p. 233 panty with front lace inset showing plain waistband and scalloped leg edge and front seams □□.*


Hong Kong Apparel vol. 2 2002 □ □ p. 285 panty with lace sides showing plain waistband and scalloped leg edge with front seams □ □.*

Hong Kong Apparel vol. II 2001□□p. 250—panty showing scalloped edge around back leg opening □.*

Hong Kong Apparel 2000□□p. 269 panty #228 showing plain waist and front seams □□.*

Hong Kong Apparel vol. II, 2002□□p. 269 panty #662 showing scallop waist and leg opening and one-piece $front \square \square.*$

* cited by examiner



Primary Examiner—Louis S. Zarfas Assistant Examiner—Deanne Levy

(74) Attorney, Agent, or Firm—Leydig, Voit & Mayer, Ltd.

(57)**CLAIM**

The ornamental design for underpants for a woman, as described and shown.

DESCRIPTION

FIG. 1 is a front view of underpants of the present invention.

FIG. 2 is a rear view of the underpants of FIG. 1.

FIG. 3 is a left-side view of the underpants of FIG. 1.

FIG. 4 is a right side view of the underpants of FIG. 1.

FIG. 5 is a plan view of the underpants of FIG. 1.

FIG. 6 is a bottom view of the underpants of FIG. 1.

FIG. 7 is a front perspective view of the underpants of FIG. 1 as in use.

FIG. 8 is a rear perspective view of the underpants of FIG. 1 as in use.

FIG. 9 is a front perspective view of the underpants of FIG. 1 in use.

FIG. 10 is a rear perspective view of the underpants of FIG. 1 in use.

FIG. 11 is a front view of underpants of the present invention.

FIG. 12 is a rear view of the underpants of FIG. 11.

FIG. 13 is a left side view of the underpants of FIG. 11.

FIG. 14 is a right side view of the underpants of FIG. 11.

FIG. 15 is a plan view of the underpants of FIG. 11.

FIG. 16 is a bottom view of the underpants of FIG. 11.

FIG. 17 is a front perspective view of the underpants of FIG. 11 as in use.


FIG. 18 is a rear perspective view of the underpants of FIG. 11 as in use.

FIG. 19 is a front perspective view of the underpants of FIG. 11 in use; and,

FIG. 20 is a rear perspective view of the underpants of FIG. 11 in use.

The broken line showing of the torso is for illustrative purpose only and forms no part of the claimed design.

1 Claim, 16 Drawing Sheets






FIG. 1






FIG.2





Jun. 29, 2004

FIG.5




FIG.6




FIG. 7





FIG.8






FIG. 10




FIG.11





FIG. 12

Jun. 29, 2004







FIG. 14



Jun. 29, 2004

FIG. 15





FIG. 16



F1G.17




FIG. 18




FIG. 19




FIG. 20