

US00D492262S1

(12) **United States Design Patent** (10) **Patent No.:** **US D492,262 S**
Murray (45) **Date of Patent:** **** Jun. 29, 2004**

- (54) **HOME AUTOMATION MODULE**
- (75) Inventor: **Christopher J. Murray**, Baltimore, MD (US)
- (73) Assignee: **Black & Decker Inc.**, Newark, DE (US)
- (**) Term: **14 Years**

- (21) Appl. No.: **29/191,743**
- (22) Filed: **Oct. 14, 2003**

Related U.S. Application Data

- (62) Division of application No. 29/159,242, filed on Apr. 17, 2002.
- (51) **LOC (7) Cl.** **13-03**
- (52) **U.S. Cl.** **D13/162**
- (58) **Field of Search** D10/106; D13/133, D13/141, 152, 158, 162, 164, 184; 174/50, 51, 52.1, 67; 340/3.7, 310.01; 361/600-679, 683, 685, 692, 696, 709, 724, 730, 735, 752, 763, 784, 796, 816, 829; 700/19, 83

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,200,862 A	4/1980	Campbell et al.
4,418,333 A	11/1983	Schwarzbach et al.
D276,718 S	12/1984	Goodin et al.
D278,142 S	3/1985	Chan
D325,902 S	5/1992	Hudson et al.
D381,633 S	7/1997	Hiyakumoto et al.

(List continued on next page.)

OTHER PUBLICATIONS

2-Way Appliance Module—2 pin (AM14A) Reproduced from http://www.x10.com/products/x10_am14a.htm.
 AM466 Appliance Module—3 Prong Grounded Reproduced from http://www.x10.com/products/x10_am466.htm.

(List continued on next page.)

Primary Examiner—Philip S. Hyder
Assistant Examiner—Selina Sikder
 (74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.


(57) **CLAIM**

The ornamental design for a home automation module, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a home automation module in a closed state in accordance with the present invention;
 FIG. 2 is a rear isometric view of the home automation module shown in FIG. 1;
 FIG. 3 is a front elevation view of the home automation module shown in FIG. 1;
 FIG. 4 is a rear elevation view of the home automation module shown in FIG. 1;
 FIG. 5 is a right side view of the home automation module shown in FIG. 1;
 FIG. 6 is a left side view of the home automation module shown in FIG. 1;
 FIG. 7 is a top plan view of the home automation module shown in FIG. 1;
 FIG. 8 is a bottom plan view of the home automation module shown in FIG. 1;
 FIG. 9 is a front isometric view of a home automation module in an opened state in accordance with the present invention;
 FIG. 10 is a rear isometric view of the home automation module shown in FIG. 9;
 FIG. 11 is a front elevation view of the home automation module shown in FIG. 9;
 FIG. 12 is a rear elevation view of the home automation module shown in FIG. 9;
 FIG. 13 is a right side view of the home automation module shown in FIG. 9;
 FIG. 14 is a left side view of the home automation module shown in FIG. 9;
 FIG. 15 is a top plan view of the home automation module shown in FIG. 9; and,
 FIG. 16 is a bottom plan view of the home automation module shown in FIG. 9.

1 Claim, 15 Drawing Sheets



U.S. PATENT DOCUMENTS

D400,513 S 11/1998 Seirio
5,905,442 A 5/1999 Mosebrook et al.
D425,493 S 5/2000 Cutright et al.
6,587,739 B1 7/2003 Abrams et al.

OTHER PUBLICATIONS

AM486 Appliance Module—2 PIN Polarized Reproduced
from http://www.10.com/products/x10_am486.htm.

2-Way Lamp Module (LM14A) Reproduced from http://www.x10.com/products/x10_lm14a.htm.

Lamp Module (LM465) Reproduced from http://www.x10.com/products/x10_lm465.htm.

Universal Module (UM506) Reproduced from http://www.x10.com/products/x10_um506.htm.

Wireless Transceiver Module (TM751) Reproduced from
http://www.10.com/products/x10_tm751.htm.




FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6

FIG 7





FIG 8






FIG 9




FIG 10




FIG 11




FIG 12




FIG 13




FIG 14




FIG 15




FIG 16