

US00D492606S1

(12) **United States Design Patent**  
**Jones**

(10) **Patent No.:** **US D492,606 S**  
(45) **Date of Patent:** **\*\* Jul. 6, 2004**

(54) **TEMPERATURE GAUGE**

D308,173 S \* 5/1990 Bescherer et al. .... D10/87  
4,973,170 A \* 11/1990 Bescherer et al. .... 374/208

(75) **Inventor:** **George Jones, Llangollen (GB)**

\* cited by examiner

(73) **Assignee:** **Tenax UK Limited, Wrexham (GB)**

*Primary Examiner*—Antoine D. Davis

(\*\*) **Term:** **14 Years**

(74) *Attorney, Agent, or Firm*—Martin Fleit; Paul D. Bianco; Fleit Kain Gibbons Gutman Bongini & Bianco P.L.

(21) **Appl. No.:** **29/177,868**

(22) **Filed:** **Mar. 18, 2003**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a temperature gauge, as shown and described.

Sep. 24, 2002 (GB) ..... 3007318

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **10-04**

FIG. 1 is a front elevational view of the temperature gauge showing its new design;

(52) **U.S. Cl.** ..... **D10/58**

FIG. 2 is a typical side or plan view of the temperature gauge shown in FIG. 1; and,

(58) **Field of Search** ..... D10/57-58; 374/205, 374/206, 208, 194, 195, 109, 141, 189


FIG. 3 is a rear elevational view of the temperature gauge shown in FIG. 1.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D300,008 S \* 2/1989 Zalman ..... D10/57

**1 Claim, 2 Drawing Sheets**






FIG.1






FIG. 2




FIG. 3