

US00D492649S1

(12) **United States Design Patent** (10) **Patent No.:** **US D492,649 S**
Resch et al. (45) **Date of Patent:** **** Jul. 6, 2004**

(54) **BATTERY**

(75) Inventors: **Øivind Resch**, Bekkestua (NO);
Michael Raberg, Oslo (NO); **Tore Lervik**, Sellebakk (NO); **Farshad Asherian**, Canoga Park, CA (US)

(73) Assignee: **PB 299**, Lysaker (NO)

(**) Term: **14 Years**

(21) Appl. No.: **29/184,019**

(22) Filed: **Aug. 27, 2003**

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/103**

(58) **Field of Search** D13/103; 429/96-100,
429/159, 163, 176

(56) **References Cited**

U.S. PATENT DOCUMENTS

D130,616 S	*	12/1941	Sears	D13/103
D317,606 S		6/1991	Irie et al.		
5,396,162 A		3/1995	Brilmyer		
D378,366 S		3/1997	Nagele et al.		
D393,857 S		4/1998	Park		
D394,841 S	*	6/1998	Hashimoto et al.	D13/103
5,786,106 A		7/1998	Armani		
D399,819 S	*	10/1998	Iida	D13/103
D400,496 S		11/1998	Barber et al.		
D400,497 S		11/1998	Sabag et al.		
D418,107 S		12/1999	Murray et al.		
D437,287 S		2/2001	Hamada et al.		
6,184,654 B1		2/2001	Bachner, III et al.		
D444,448 S	*	7/2001	Robinson et al.	D13/103
6,268,709 B1		7/2001	Lee et al.		
D447,468 S		9/2001	Nakahara et al.		
D447,730 S		9/2001	Johanssen		
D450,294 S		11/2001	Arbisi et al.		
D456,001 S		4/2002	Arbisi et al.		
D459,323 S		6/2002	Jeong		
D459,710 S		7/2002	Jeong		
D459,711 S		7/2002	Lee		

(List continued on next page.)

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Marshall A. Lerner, Esq.;
Bradford E. Mattes, Esq.; Finn T. Simmenssen, Esq.


(57) **CLAIM**

The ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the preferred embodiment of the battery showing our new design;
 FIG. 2 is a perspective view of the rear thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a left elevational view thereof, the right side being identical;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view of thereof;
 FIG. 8 is a first alternative embodiment showing a perspective view of the battery;
 FIG. 9 is a perspective view of the rear of the first alternative embodiment;
 FIG. 10 is a front elevational view thereof;
 FIG. 11 is a left side elevational view thereof, the right side being identical;
 FIG. 12 is a rear elevational view thereof;
 FIG. 13 is a top view thereof;
 FIG. 14 is a bottom view thereof;
 FIG. 15 is a perspective view of the second alternative embodiment.
 FIG. 16 is a rear perspective view thereof;
 FIG. 17 is a perspective view of a third alternative embodiment.
 FIG. 18 is a perspective view of the rear thereof;
 FIG. 19 is a perspective view of a fourth alternative embodiment.
 FIG. 20 is a perspective view of the rear thereof;
 FIG. 21 is a perspective view of the fifth alternative embodiment; and,
 FIG. 22 is a perspective view of the rear thereof.
 Broken lines in the figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D492,649 S

Page 2

U.S. PATENT DOCUMENTS

6,501,246	B2	12/2002	You et al.			
D469,415	S	1/2003	Nam			
D469,416	S	1/2003	Nam			
D469,750	S	2/2003	Nam			
6,529,372	B1 *	3/2003	Ng et al.	429/100		
D473,186	S	4/2003	Grosfeld et al.			
					D476,948	S 7/2003 Mitchell
					D477,295	S 7/2003 Chung
					D481,995	S * 11/2003 Yokota D13/103
					D483,013	S * 12/2003 Tsukamoto et al. D13/103
					2002/0150815	A1 * 10/2002 Ehara 429/100
					2003/0017390	A1 * 1/2003 Probst et al. 429/176

* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.



Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.




Fig. 12.



Fig. 13.



Fig. 14.




Fig. 15.




Fig. 16.




Fig. 17.




Fig. 18.




Fig. 19.




Fig. 20.




Fig. 21.




Fig. 22.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 492,649 S
DATED : July 6, 2004
INVENTOR(S) : Resch et al.

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [73], Assignee, delete “**PB 299**, Lysaker (NO)” and insert -- **Jumpit AS**, Lysaker, Norway --

Signed and Sealed this

Sixteenth Day of November, 2004

A handwritten signature in black ink that reads "Jon W. Dudas". The signature is written in a cursive style with a large, looped initial "J".

JON W. DUDAS
Director of the United States Patent and Trademark Office