

US00D493007S1

(12) **United States Design Patent** (10) **Patent No.:** **US D493,007 S**
Rugendyke et al. (45) **Date of Patent:** **** Jul. 13, 2004**

(54) **LIGHTING DEVICE**

(75) Inventors: **Timothy J. Rugendyke**, Woy Woy (AU); **Michael Squires**, Ryde (AU); **David R. Dalton**, Turrumurra (AU); **John R. Brown**, Mosman (AU)

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/174,730**

(22) Filed: **Jan. 23, 2003**

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/37**

(58) **Field of Search** D26/37-50; 362/157, 362/158, 171, 172, 173, 187-208

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D404,510 S * 1/1999 Cheng D26/37
- D407,170 S * 3/1999 Yuen D26/37
- D447,585 S * 9/2001 Dalton et al. D26/37

* cited by examiner

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Stewart A. Fraser


(57) **CLAIM**

We claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a view showing a front end, top and a first side of the lighting device of the present invention;
 FIG. 2 is a view showing the front end, top and a second side of the lighting device of the present invention;
 FIG. 3 is a view of the top of the lighting device of the present invention;
 FIG. 4 is a view of the bottom of the lighting device of the present invention;
 FIG. 5 is a view of the first side of the lighting device of the present invention;
 FIG. 6 is a view of the front end of the lighting device of the present invention; and,
 FIG. 7 is a view of the back end of the lighting device of the present invention.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7