



US00D493086S1

(12) **United States Design Patent** (10) **Patent No.:** **US D493,086 S**
Taylor et al. (45) **Date of Patent:** **** Jul. 20, 2004**

(54) **PRY BAR**

(75) Inventors: **Robert L. Taylor**, Machesney Park, IL (US); **Dennis Stupec**, Rockford, IL (US); **Don Dray**, Rockford, IL (US)

(73) Assignee: **Dasco Pro, Inc.**, Rockford, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/175,890**

(22) Filed: **Feb. 12, 2003**

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/89; D8/88**

(58) **Field of Search** D8/88, 89, 107, D8/14; 254/131, 25, 26; 7/166

(56) **References Cited**

U.S. PATENT DOCUMENTS

546,521	A	9/1895	Gatti	
D59,371	S	* 10/1921	Nelson	D8/89
1,486,820	A	3/1924	Wilder	
1,508,489	A	9/1924	Vlcek	
2,210,602	A	* 8/1940	Scott	254/131
2,272,362	A	2/1942	Barker	254/25
D197,205	S	12/1963	Estwing	D8/89
3,134,574	A	5/1964	Reuterfors	254/25
D202,687	S	10/1965	Estwing	D8/89
3,522,932	A	8/1970	Nakasone	254/131
3,680,834	A	8/1972	Holloway	254/25
4,844,416	A	7/1989	Hand	254/25
5,577,711	A	11/1996	Shine	254/25
D386,057	S	* 11/1997	Hreha	D8/89
5,695,171	A	12/1997	Shine	254/25
5,695,172	A	12/1997	Hreha	254/25
5,957,429	A	9/1999	Khachatoorian	254/25
D442,840	S	* 5/2001	Waddell	D8/89
D444,690	S	* 7/2001	Bond	D8/89
6,257,553	B1	7/2001	Khachatoorian	254/25
6,488,266	B2	* 12/2002	Macor	254/25

OTHER PUBLICATIONS

Ace Hardware, *1989 Spring Show Specials*, 7 pages.
Estwing, *World's First and Finest Solid Steel Striking Tools*, Catalog No. 289, © 1989 Estwing Mfg. Co., 2 pages.
Olympia 1996 Catalog, 3 pages.
Dasco Pro, *2-Piece DASCO BAR Kit*, 1 page from catalog, Applicant's admitted prior art.
Dasco Pro, Inc., *Dasco Pro Bars*, Catalog No. GC-87, 2 pages, 1987.
Dasco Pro, *Curved Gooseneck Bar*, Catalog, 1 page, 1997.

* cited by examiner

Primary Examiner—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Leydig, Voit & Mayer, Ltd.

(57) **CLAIM**

I claim the ornamental design for a pry bar, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a pry bar in accordance with the present invention.

FIG. 2 is an isometric view of the pry bar as shown in FIG. 1, but inverted.

FIG. 3 is a top side view of the pry bar shown in prior Figures.

FIG. 4 is a right side view of the pry bar shown in prior Figures.

FIG. 5 is a left side view of the pry bar shown in prior Figures.


FIG. 6 is a bottom side view of the pry bar shown in prior Figures.

FIG. 7 is an end view of the prying chisel end of the pry bar shown in prior Figures.

FIG. 8 is an end view of the prying hook end of the pry bar shown in prior Figures; and,

FIG. 9 is a cross section of FIG. 6 taken about line 9—9.

1 Claim, 3 Drawing Sheets






FIG. 1

FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 493,086 S
DATED : July 20, 2004
INVENTOR(S) : Robert L. Taylor, Dennis Stupek and Donald D. Dray


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,
Item [75], Inventors, "**Don Dray**" should be -- **Donald D. Dray** --

Signed and Sealed this

Fifth Day of October, 2004

A handwritten signature in black ink that reads "Jon W. Dudas". The signature is written in a cursive style with a large, looped initial "J".

JON W. DUDAS
Director of the United States Patent and Trademark Office