

US00D493147S1

(12) **United States Design Patent** (10) **Patent No.:** **US D493,147 S**  
**Bender et al.** (45) **Date of Patent:** **\*\* Jul. 20, 2004**

(54) **LIGHT CONTROLLER WITHOUT LENS**

(75) Inventors: **R. Kurt Bender**, Dripping Springs, TX (US); **Jonathan D. Williams**, Austin, TX (US); **Douglas D. Myron**, Austin, TX (US); **Willfred Goldschmidt**, Weston, CT (US)

(73) Assignee: **Hubbell Incorporated**, Orange, CT (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/161,552**

(22) Filed: **May 30, 2002**

(51) **LOC (7) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/165**

(58) **Field of Search** ..... D10/104, 106;  
D9/521, 549, 550, 551, 563, 564; 174/52.1;  
340/501, 541, 567; 307/116; 250/239, 253

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |    |   |         |                |         |
|-----------|----|---|---------|----------------|---------|
| 4,090,091 | A  | * | 5/1978  | Brown et al.   | 307/116 |
| D296,302  | S  | * | 6/1988  | Weber          | D9/521  |
| 5,128,654 | A  | * | 7/1992  | Griffin et al. | 340/567 |
| 5,365,062 | A  | * | 11/1994 | Saffari et al. | 250/239 |
| 5,640,143 | A  |   | 6/1997  | Myron et al.   | 340/541 |
| 5,986,357 | A  |   | 11/1999 | Myron et al.   | 307/116 |
| 6,037,593 | A  | * | 3/2000  | Santoro        | 250/353 |
| 6,078,253 | A  |   | 6/2000  | Fowler         | 340/501 |
| 6,222,191 | B1 |   | 4/2001  | Myron et al.   | 250/353 |
| 6,288,642 | B1 | * | 9/2001  | Dohrmann       | 340/540 |

**OTHER PUBLICATIONS**

“Installation and use of LightBAT™ G2 Laser Alignment Tool LB-LAT-1,” 2 pages, Brochure from MYTECH Corporation, Feb. 28, 2002.

“LightBAT G2 Accessories,” 1 page; Brochure from MYTECH Corporation, Feb. 19, 2002.

“LightBAT G2—Dual-level Switching Controller and PIR Sensor,” 4 pages, Brochure from MYTECH Corporation, Mar. 5, 2002.

MYzer™ Port Application Guide, 2 pages, brochure from MYTECH Corporation, Jul. 10, 2001.

“MYzer™ Port Connector System (Quick Connection to MYTECH’s LightBat G2™ HID Hi/Low Controller),” 1 page, Brochure from MYTECH Corporation, Jul. 10, 2001.

(List continued on next page.)

*Primary Examiner*—Philip S. Hyder

*Assistant Examiner*—Selina Sikder

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski L.L.P.

(57) **CLAIM**

The ornamental design for a light controller without lens, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the top, right, and front views of a first embodiment of our design;

FIG. 2 is a perspective view of the bottom, left, and rear views of the first embodiment of our design;

FIG. 3 is a view of the right side of the first embodiment of our design, the left side view being identical in all claimed respects;


FIG. 4 is a perspective view of the top, right, and front views of a second embodiment of our design;

FIG. 5 is a perspective view of the bottom, left, and rear views of the second embodiment of our design; and,

FIG. 6 is a view of the right side of the second embodiment of our design, the left side view being identical in all claimed respects.

The only difference between the first embodiment of our design shown in FIGS. 1–3 and the second embodiment of our design shown in FIGS. 4–6 is the addition of a door in the second embodiment. Such a door is shown in dotted lines in the first embodiment and, thus, forms no part of the claimed design of the first embodiment. Moreover, the dotted lines shown in the figures represent environmental structure and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






OTHER PUBLICATIONS

“See the Light, Automatic Lighting, Occupancy Sensors & HID Controls,” the MYTECH 2002 Product Catalog, MYTECH Corporation, Jan. 3, 2002.

“The Light/BAT™ G2 integrated HID Dual Level Switching Controller and Sensor,” 7 pages, brochure from MYTECH Corporation, Jun. 6, 2001.


\* cited by examiner





**FIG. 1**





**FIG. 2**








FIG. 3






**FIG. 4**





**FIG. 5**





**FIG. 6**