



US00D493200S1

(12) **United States Design Patent**  
**Hsu**

(10) **Patent No.:** **US D493,200 S**  
(45) **Date of Patent:** **\*\* Jul. 20, 2004**

(54) **ROPE CASING FOR AN EXERCISE DEVICE**

(76) **Inventor:** **Chi-Kun Hsu**, No. 4, Tien-Yang Lane,  
Lu Kang Township, Chang Hua Hsien  
(TW)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/177,735**

(22) **Filed:** **Mar. 17, 2003**

(51) **LOC (7) Cl.** ..... **20-02**

(52) **U.S. Cl.** ..... **D21/662; D21/694**

(58) **Field of Search** ..... **D8/383, 356, 44;**  
**24/200; D21/662, 684, 692, 694; 482/120,**  
**121, 122, 123, 124, 92, 127**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |   |   |         |            |       |         |
|-----------|---|---|---------|------------|-------|---------|
| 4,010,948 | A | * | 3/1977  | Deluty     | ..... | 482/120 |
| 4,114,875 | A | * | 9/1978  | Deluty     | ..... | 482/120 |
| 4,174,832 | A | * | 11/1979 | Thompson   | ..... | 482/120 |
| D266,828  | S | * | 11/1982 | Prete, Jr. | ..... | D8/383  |
| 4,525,901 | A | * | 7/1985  | Krauss     | ..... | 24/200  |
| 4,677,711 | A | * | 7/1987  | Anscher    | ..... | 24/200  |
| 4,843,689 | A | * | 7/1989  | Fildan     | ..... | 24/200  |

|           |   |   |         |               |       |         |
|-----------|---|---|---------|---------------|-------|---------|
| 5,147,264 | A | * | 9/1992  | Braathen      | ..... | 482/118 |
| 5,243,741 | A | * | 9/1993  | Fudaki et al. | ..... | 24/200  |
| D356,491  | S | * | 3/1995  | Anscher       | ..... | D8/383  |
| 5,618,249 | A | * | 4/1997  | Marshall      | ..... | 482/127 |
| 5,733,231 | A | * | 3/1998  | Corn et al.   | ..... | 482/120 |
| 6,099,447 | A | * | 8/2000  | Ramsaroop     | ..... | 482/127 |
| D432,402  | S | * | 10/2000 | Hyp           | ..... | D8/383  |

\* cited by examiner

*Primary Examiner*—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Harrison & Egbert

(57) **CLAIM**

I claim the ornamental design for rope casing for an exercise device, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper perspective view of the rope casing for an exercise device showing my design.

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;


FIG. 4 is a side view thereof;

FIG. 5 is an opposite side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7