

US00D493221S1

(12) **United States Design Patent**
Smart

(10) **Patent No.:** **US D493,221 S**
(45) **Date of Patent:** **** Jul. 20, 2004**

- (54) **PORTION OF A FULL FACE MASK**
- (75) Inventor: **Gregory S. Smart**, Randwick (AU)
- (73) Assignee: **ResMed Limited**, North Ryde (AU)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/165,594**
- (22) Filed: **Aug. 14, 2002**

5,662,101 A	9/1997	Ogden et al.	
D428,139 S	7/2000	Smart	
D428,987 S	* 8/2000	Kwok D24/110.1
D430,663 S	* 9/2000	Smart D24/110.4
6,112,746 A	9/2000	Kwok et al.	
6,119,693 A	9/2000	Kwok et al.	
D440,302 S	* 4/2001	Wolfe D24/110.1
D443,355 S	6/2001	Gunaratnam et al.	
6,357,441 B1	3/2002	Kwok et al.	
D458,365 S	* 6/2002	Kopacko et al. D24/110.1
6,412,487 B1	* 7/2002	Gunaratnam et al.	.. 128/205.25
6,561,191 B1	* 5/2003	Kwok 128/207.12

Related U.S. Application Data

- (62) Division of application No. 29/155,029, filed on Jan. 14, 2002, now Pat. No. Des. 464,427, which is a division of application No. 29/142,700, filed on Jun. 1, 2001, now Pat. No. Des. 459,800.
- (51) **LOC (7) Cl.** **29-02**
- (52) **U.S. Cl.** **D24/110.4; D24/110.1**
- (58) **Field of Search** D24/110.4, 110.1, D24/110.6, 110.5; 128/205.25, 207.11, 207.13, 206.27, 207.12, 203.12

References Cited

U.S. PATENT DOCUMENTS

2,276,612 A	* 3/1942	Ellis D24/110.1
D236,033 S	7/1975	Dryden	
4,328,797 A	* 5/1982	Rollins et al. 128/205.25
4,941,467 A	* 7/1990	Takata 128/203.12
D310,431 S	* 9/1990	Bellm D24/110.4
5,243,971 A	9/1993	Sullivan et al.	
D340,317 S	* 10/1993	Cole D24/110.1
5,542,128 A	8/1996	Lomas	

* cited by examiner

Primary Examiner—Ian Simmons

(74) *Attorney, Agent, or Firm*—Nixon & Vanderhye P.C.

(57) **CLAIM**

The ornamental design for a portion of a full face mask, as shown and described.



DESCRIPTION

FIG. 1 is an isometric view of a full-face mask according to a first embodiment having a three-hole vent and a low profile connector; and,

FIG. 2 is an isometric view of a full-face mask according to a second embodiment having a three-hole vent and a high-profile connector.

The broken line showing in the FIGS. 1 and 2 are for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2