

US00D493355S1

(12) **United States Design Patent** (10) **Patent No.:** **US D493,355 S**
Dinh (45) **Date of Patent:** **** Jul. 27, 2004**

(54) **PLURALITY OF COUPLED CABLE TIE HEADS**

(75) **Inventor:** **Cong Thanh Dinh**, Collierville, TN (US)

(73) **Assignee:** **Thomas & Betts International, Inc.**, Sparks, NV (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/192,343**

(22) **Filed:** **Oct. 23, 2003**

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Search** D8/354, 356, 373, D8/380, 396, 349; D13/154, 155; 24/16 R, 16 PB; 174/68.1, 72 A, 72 R, 95, 96, 97, 99 R, 152 G, 153 G; 206/343, 345, 346, 347; 211/26; 248/49, 58, 65, 68.1, 71, 73

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,456,123 A	6/1984	Russell	206/343
4,532,679 A *	8/1985	Scott	24/16 PB
4,632,247 A	12/1986	Moody et al.	206/343
4,640,319 A	2/1987	Walker	104/93
4,640,320 A	2/1987	Avison et al.	140/93
4,660,718 A	4/1987	Kato et al.	206/343
4,680,834 A *	7/1987	Andre et al.	24/16 PB
4,712,677 A	12/1987	Russell	206/345
5,042,535 A	8/1991	Schlottke	140/93
5,119,528 A	6/1992	Ono et al.	24/16
5,621,949 A *	4/1997	Wells et al.	24/16 PB
D380,375 S *	7/1997	Rohaly et al.	D8/396
D389,051 S *	1/1998	Caveney et al.	D8/396
6,129,206 A	10/2000	Cooper	206/343
D444,054 S *	6/2001	Bernard et al.	D8/396

6,293,399 B1	9/2001	Cooper	206/346
6,308,386 B1	10/2001	Cooper	24/704.1
D459,206 S *	6/2002	Caveney et al.	D8/396
6,446,801 B2	9/2002	Cooper	206/346
D463,733 S	10/2002	Cooper et al.	D8/382
D464,563 S	10/2002	Deschenes	D8/382
6,467,650 B1	10/2002	Lesser et al.	221/208
6,497,258 B1 *	12/2002	Flannery et al.	140/123.6
6,557,726 B2	5/2003	Lesser et al.	221/208
2001/0025399 A1 *	10/2001	Rohaly et al.	24/30.5 R
2002/0170153 A1 *	11/2002	Brownlee et al.	24/16 PB

* cited by examiner

Primary Examiner—James Gandy

Assistant Examiner—Elizabeth Albert

(74) *Attorney, Agent, or Firm*—G. Andrew Barger

(57) **CLAIM**

The ornamental design for a plurality of coupled cable tie heads, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a plurality of coupled cable tie heads of the present invention.

FIG. 2 is a bottom plan view of the plurality of coupled cable tie heads of the present invention.

FIG. 3 is a side elevational view of the plurality of coupled cable tie heads of the present invention.


FIG. 4 is a top plan view of the plurality of coupled cable tie heads of the present invention.

FIG. 5 is a first end elevational view of the plurality of coupled cable tie heads of the present invention; and,

FIG. 6 is a second end elevational view of the plurality of coupled cable tie heads of the present invention.

The broken lines showing environment in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6