

US00D493689S1

(12) **United States Design Patent** (10) **Patent No.:** **US D493,689 S**
Vito (45) **Date of Patent:** **** Aug. 3, 2004**

(54) **LOCK CLOSURE MEMBER**

(57) **CLAIM**

(76) **Inventor:** **Robert A. Vito**, 1434 Sugartown Rd.,
Berwyn, PA (US) 19312

The ornamental design for a lock closure member, as shown and described.

(**) **Term:** **14 Years**

DESCRIPTION

(21) **Appl. No.:** **29/169,315**

FIG. 1 is a perspective view of a lock closure member according to a first preferred embodiment of my new design; FIG. 2 is a second perspective view of the lock closure member of FIG. 1;

(22) **Filed:** **Oct. 17, 2002**

Related U.S. Application Data

FIG. 3 is a top plan view of the lock closure member of FIG. 1;

(63) Continuation-in-part of application No. 10/243,239, filed on Sep. 13, 2002, and a continuation-in-part of application No. 29/166,890, filed on Sep. 5, 2002.

FIG. 4 is a front elevational view of the lock closure member of FIG. 1;

(51) **LOC (7) Cl.** **08-07**

FIG. 5 is a right side elevational view of the lock closure member of FIG. 1;

(52) **U.S. Cl.** **D8/331; D8/343**

FIG. 6 is a bottom plan view of the lock closure member of FIG. 1;

(58) **Field of Search** D8/330, 331, 336,
D8/339, 343, 344; 70/207, 209, 210, 218,
225, 226, 227, 233, 234, 237, 252, 431,
448, 51-54

FIG. 7 is a rear elevational view of the lock closure member of FIG. 1; and

(56) **References Cited**

FIG. 8 is a left side elevational view of the lock closure member of FIG. 1;

U.S. PATENT DOCUMENTS

153,312 A	7/1874	Broome et al.	
1,337,568 A	4/1920	Shannon et al.	
1,503,210 A	7/1924	Shannon	
3,754,418 A	8/1973	Miller	
3,754,420 A	8/1973	Oellerich	
3,800,570 A	4/1974	Kaplan	
3,924,426 A	12/1975	Zane et al.	
4,545,224 A	10/1985	Zane	
4,736,921 A	4/1988	Zane et al.	
5,010,746 A	4/1991	Zane et al.	
5,092,142 A	3/1992	Zane et al.	
5,194,845 A *	3/1993	Sirmon et al.	70/233
5,406,812 A *	4/1995	Jaw	70/233
D358,542 S *	5/1995	Byrd, Jr.	D8/343
5,505,064 A *	4/1996	Wang	70/53

FIG. 9 is a perspective view of a lock closure member according to a second preferred embodiment of my new design;

FIG. 10 is a top plan view of the lock closure member of FIG. 9;

FIG. 11 is a front elevational view of the lock closure member of FIG. 9;

FIG. 12 is a bottom plan view of the lock closure member of FIG. 9;

FIG. 13 is a rear elevational view of the lock closure member of FIG. 9;

FIG. 14 is a right side elevational view of the lock closure member of FIG. 9; and,


FIG. 15 is a left side elevational view of the lock closure member of FIG. 9.

The dashed lines in FIGS. 1 and 9-15 represent environment and are for illustrative purposes only and do not constitute part of the claimed design. The phantom lines in FIGS. 9, 10, 12, 14, and 15 define the border between claimed and unclaimed matter.

(List continued on next page.)

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Volpe and Koenig, P.C.

1 Claim, 5 Drawing Sheets



US D493,689 S

Page 2

U.S. PATENT DOCUMENTS

5,647,520	A	7/1997	McDaid			
5,706,679	A	1/1998	Zane et al.			
5,794,462	A	8/1998	Steele et al.			
5,823,021	A	* 10/1998	Chang	70/233		
6,101,852	A	* 8/2000	Steinbach	70/51		
6,321,961	B1	11/2001	McDaid et al.			
6,360,571	B1	* 3/2002	O'Neal	70/226		
6,422,442	B1	7/2002	McDaid et al.			
D472,450	S	* 4/2003	Vito	D8/331		
6,619,084	B2	* 9/2003	Kuo	70/233		

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 6

FIG. 7




FIG. 8



FIG. 9






FIG. 10

FIG. 11






FIG. 12

FIG. 13




FIG. 14




FIG. 15

