

US00D493689S1

(12) **United States Design Patent** (10) **Patent No.:** **US D493,689 S**
Vito (45) **Date of Patent:** **** Aug. 3, 2004**

(54) **LOCK CLOSURE MEMBER**

(76) **Inventor:** **Robert A. Vito**, 1434 Sugartown Rd.,
Berwyn, PA (US) 19312

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/169,315**

(22) **Filed:** **Oct. 17, 2002**

Related U.S. Application Data

(63) Continuation-in-part of application No. 10/243,239, filed on
Sep. 13, 2002, and a continuation-in-part of application No.
29/166,890, filed on Sep. 5, 2002.

(51) **LOC (7) Cl.** **08-07**

(52) **U.S. Cl.** **D8/331; D8/343**

(58) **Field of Search** D8/330, 331, 336,
D8/339, 343, 344; 70/207, 209, 210, 218,
225, 226, 227, 233, 234, 237, 252, 431,
448, 51-54

(56) **References Cited**

U.S. PATENT DOCUMENTS

153,312 A	7/1874	Broome et al.	
1,337,568 A	4/1920	Shannon et al.	
1,503,210 A	7/1924	Shannon	
3,754,418 A	8/1973	Miller	
3,754,420 A	8/1973	Oellerich	
3,800,570 A	4/1974	Kaplan	
3,924,426 A	12/1975	Zane et al.	
4,545,224 A	10/1985	Zane	
4,736,921 A	4/1988	Zane et al.	
5,010,746 A	4/1991	Zane et al.	
5,092,142 A	3/1992	Zane et al.	
5,194,845 A *	3/1993	Sirmon et al.	70/233
5,406,812 A *	4/1995	Jaw	70/233
D358,542 S *	5/1995	Byrd, Jr.	D8/343
5,505,064 A *	4/1996	Wang	70/53

(List continued on next page.)

Primary Examiner—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Volpe and Koenig, P.C.

(57) **CLAIM**

The ornamental design for a lock closure member, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of a lock closure member
according to a first preferred embodiment of my new design;
FIG. 2 is a second perspective view of the lock closure
member of FIG. 1;

FIG. 3 is a top plan view of the lock closure member of FIG.
1;

FIG. 4 is a front elevational view of the lock closure member
of FIG. 1;

FIG. 5 is a right side elevational view of the lock closure
member of FIG. 1;

FIG. 6 is a bottom plan view of the lock closure member of
FIG. 1;

FIG. 7 is a rear elevational view of the lock closure member
of FIG. 1; and

FIG. 8 is a left side elevational view of the lock closure
member of FIG. 1;

FIG. 9 is a perspective view of a lock closure member
according to a second preferred embodiment of my new
design;

FIG. 10 is a top plan view of the lock closure member of
FIG. 9;

FIG. 11 is a front elevational view of the lock closure
member of FIG. 9;

FIG. 12 is a bottom plan view of the lock closure member
of FIG. 9;


FIG. 13 is a rear elevational view of the lock closure member
of FIG. 9;

FIG. 14 is a right side elevational view of the lock closure
member of FIG. 9; and,

FIG. 15 is a left side elevational view of the lock closure
member of FIG. 9.

The dashed lines in FIGS. 1 and 9-15 represent environment
and are for illustrative purposes only and do not constitute
part of the claimed design. The phantom lines in FIGS. 9, 10,
12, 14, and 15 define the border between claimed and
unclaimed matter.

1 Claim, 5 Drawing Sheets



U.S. PATENT DOCUMENTS				
5,647,520	A	7/1997	McDaid	6,321,961 B1 11/2001 McDaid et al.
5,706,679	A	1/1998	Zane et al.	6,360,571 B1 * 3/2002 O'Neal 70/226
5,794,462	A	8/1998	Steele et al.	6,422,442 B1 7/2002 McDaid et al.
5,823,021	A	* 10/1998	Chang 70/233	D472,450 S * 4/2003 Vito D8/331
6,101,852	A	* 8/2000	Steinbach 70/51	6,619,084 B2 * 9/2003 Kuo 70/233
				* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 6

FIG. 7




FIG. 8



FIG. 9




FIG. 10





FIG. 11






FIG. 1 2

FIG. 1 3




FIG. 1 4




FIG. 1 5

