

US00D493740S1

(12) **United States Design Patent**
George

(10) **Patent No.: US D493,740 S**

(45) **Date of Patent: ** Aug. 3, 2004**

(54) **MOTION DETECTOR WITH AUDIBLE ALARM AND REMOTE CONTROL THEREFOR**

(76) **Inventor: Joseph George, 4514 Sage Cir., Baytown, TX (US) 77521**

(**) **Term: 14 Years**

(21) **Appl. No.: 29/181,610**

(22) **Filed: May 14, 2003**

(51) **LOC (7) Cl. 10-05**

(52) **U.S. Cl. D10/106**

(58) **Field of Search D10/104, 106, D10/116; 340/541, 545.2, 545.3, 565-567; 250/221; 356/28; 348/154, 155; D14/218; D13/168**

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,603,729 A	*	9/1971	Sperber	348/154
D330,522 S	*	10/1992	Mokhtarian	D10/104
D336,893 S	*	6/1993	Bergeron	D13/158
D339,079 S	*	9/1993	Behlke	D10/106
D345,116 S	*	3/1994	Cardinalli	D10/106
D345,931 S	*	4/1994	Hallock et al.	D10/104
D348,435 S	*	7/1994	Farinelli et al.	D13/168
5,373,155 A	*	12/1994	Chen	250/239
D362,695 S	*	9/1995	Waldhelm	D21/513
D373,998 S	*	9/1996	Tutt et al.	D13/168
D374,693 S	*	10/1996	Osborne	D13/168 X
D377,320 S	*	1/1997	McGuire	D10/104
D381,592 S	*	7/1997	Gould	D10/106
D391,183 S	*	2/1998	Campbell et al.	D10/104
D404,668 S	*	1/1999	Tremouliaris	D10/104

D409,936 S	*	5/1999	Baldwin et al.	D10/106
D411,169 S	*	6/1999	West	D14/218 X
5,921,280 A	*	7/1999	Ericksen et al.	137/624.11
D413,277 S	*	8/1999	Scheibe	D10/106
D415,442 S	*	10/1999	Ikeda	D10/106
D417,163 S	*	11/1999	Benoit	D10/104
D422,268 S	*	4/2000	Tsui	D13/168
D430,055 S	*	8/2000	Aiello et al.	D10/106
D438,998 S	*	3/2001	Finke et al.	D26/63
6,215,396 B1	*	4/2001	Script	340/545.1
D449,244 S	*	10/2001	Ginzel	D10/106
D453,148 S	*	1/2002	Alexander et al.	D13/168
D459,264 S	*	6/2002	Wong	D10/106
6,420,971 B1	*	7/2002	Leck et al.	340/542
D468,005 S	*	12/2002	Bailey	D23/328

* cited by examiner

Primary Examiner—Jeffrey Asch

(57) **CLAIM**

The ornamental design for a motion detector with audible alarm and remote control therefor, as shown and described.

DESCRIPTION


FIG. 1 is a front elevated view of a motion detector with audible alarm and remote control therefor showing my new design;

FIG. 2 is a rear elevated view of the motion detector with audible alarm and remote control therefor;

FIG. 3 is a side elevated view of the motion detector with audible alarm and remote control therefor; and,

FIG. 4 is a top plan view of the motion detector with audible alarm and remote control therefor, the top plan view being a mirror image of a bottom plan view of the design.

1 Claim, 2 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4