

US00D494031S1

(12) **United States Design Patent**  
**Moore, Jr.**

(10) **Patent No.: US D494,031 S**

(45) **Date of Patent: \*\* Aug. 10, 2004**

(54) **SOCKET FOR CUTTING MATERIAL  
PLACED OVER A FASTENER**

(76) **Inventor: Albert Edward Moore, Jr., 215 Grand  
Pre, L'Acadie, Quebec (CA), J2Y 1J6**

(\*\*) **Term: 14 Years**

(21) **Appl. No.: 29/175,197**

(22) **Filed: Jan. 30, 2003**

(51) **LOC (7) Cl. .... 08-05**

(52) **U.S. Cl. .... D8/29; D15/140**

(58) **Field of Search .... D8/29; D15/140;  
81/119-123, 121.1, 122, 124.1, 125, 124.2,  
124.3**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,288,002 A	*	11/1966	Mankovitz	.....	81/436
5,363,525 A	*	11/1994	Andreasen	.....	7/138
D477,198 S	*	7/2003	Staton	.....	D8/29

\* cited by examiner

*Primary Examiner*—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Gene Scott-Patent Law & Venture Group

(57) **CLAIM**

The ornamental design for a “socket for cutting material placed over a fastener,” as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a wrench socket adapted for cutting through material placed over a fastener, showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a side elevation view thereof, common to side elevation views from all sides, the socket having circular symmetry;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a perspective view of a second embodiment of the wrench socket of FIGS. 1-4 showing six small cutaway portions along a top hexagonal edge thereof;


FIG. 6 is a top plan view thereof;

FIG. 7 is a side elevation view thereof, common to side elevation views from all sides, the socket having circular symmetry; and,


FIG. 8 is a bottom plan view thereof.

**1 Claim, 2 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*



*Fig. 6*



*Fig. 7*



*Fig. 8*