

US00D494294S1

(12) **United States Design Patent** (10) **Patent No.:** **US D494,294 S**
Pfeiffer (45) **Date of Patent:** **** Aug. 10, 2004**

(54) **SURFACE CONFIGURATION OF A
TAILLIGHT FOR A VEHICLE**

(75) Inventor: **Peter Pfeiffer**, Boeblingen (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/190,712**

(22) Filed: **Sep. 26, 2003**

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/28**

(58) **Field of Search** D26/28-36; 362/61,
362/80, 81, 82, 83, 83.4, 267, 269, 275,
330-340

(56) **References Cited**

U.S. PATENT DOCUMENTS

D472,657 S * 4/2003 Pfeiffer et al. D26/28

D484,257 S * 12/2003 Hirai et al. D26/28

D485,920 S * 1/2004 Yoneyama D26/28

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a taillight for a vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a surface configuration of a taillight for a vehicle according to my novel design;

FIG. 2 is a side view of the first embodiment of the surface configuration of a taillight for a vehicle according to my novel design;


FIG. 3 is a front view of the first embodiment of the surface configuration of a taillight for a vehicle according to my novel design;

FIG. 4 is a perspective view of a second embodiment of the surface configuration of a taillight for a vehicle according to my novel design;

FIG. 5 is a side view of the second embodiment of the surface configuration of a taillight for a vehicle according to my novel design; and,

FIG. 6 is a front view of the second embodiment of the surface configuration of a taillight for a vehicle according to my novel design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6