

US00D494299S1

(12) **United States Design Patent** (10) **Patent No.:** **US D494,299 S**  
**Dalton et al.** (45) **Date of Patent:** **\*\* Aug. 10, 2004**

(54) **FLASHLIGHT**

(75) Inventors: **David R. Dalton**, Turramurra (AU);  
**Timothy Rugendyke**, Woy Woy (AU);  
**John Robert Brown**, Mosman (AU)

(73) Assignee: **Eveready Battery Company, Inc.**, St.  
Louis, MO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/192,425**

(22) Filed: **Oct. 23, 2003**

(30) **Foreign Application Priority Data**

Apr. 28, 2003 (AU) ..... 1352/2003

(51) **LOC (7) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/49**

(58) **Field of Search** ..... D26/37-50; 362/157,  
362/158, 171-174, 183-208

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D420,457 S \* 2/2000 Breit ..... D26/49  
D449,395 S \* 10/2001 Dalton et al. .... D26/49

D472,006 S \* 3/2003 Fritz ..... D26/49  
D481,817 S \* 11/2003 Mah ..... D26/49

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Stewart A. Fraser

(57) **CLAIM**

We claim the ornamental design for a flashlight, as shown  
and described.

### DESCRIPTION

FIG. 1 is a view showing the upper front right perspective  
of the flashlight of the present invention;

FIG. 2 is a view showing the right side elevation of the  
flashlight of the present invention;


FIG. 3 is a plan view of the flashlight of the present  
invention;

FIG. 4 is an underneath view of the flashlight of the present  
invention;

FIG. 5 is a view showing the front elevation of the flashlight  
of the present invention; and,

FIG. 6 is a view showing the rear elevation of the flashlight  
of the present invention.

**1 Claim, 4 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3





Fig. 4

*Fig. 5*



*Fig. 6*

