

US00D494550S1

(12) **United States Design Patent** (10) **Patent No.:** **US D494,550 S**
Hoshiba (45) **Date of Patent:** **** Aug. 17, 2004**

(54) **LIGHT EMITTING DIODE**

FOREIGN PATENT DOCUMENTS

(75) **Inventor:** **Toshiyuki Hoshiba**, Anan (JP)

CN ZL 02308468.5 10/2002
CN ZL 02308469.3 11/2002

(73) **Assignee:** **Nichia Corporation**, Tokushima-ken (JP)

* cited by examiner

(**) **Term:** **14 Years**

Primary Examiner—Philip S. Hyder

Assistant Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Osha & May L.L.P.

(21) **Appl. No.:** **29/188,869**

(57) **CLAIM**

(22) **Filed:** **Aug. 26, 2003**

The ornamental design for a light emitting diode, as shown and described.

(51) **LOC (7) Cl.** **13-03**

(52) **U.S. Cl.** **D13/180**

(58) **Field of Search** D13/180, 182;
D10/104, 114; D26/37; 174/52.2; 257/79,
91, 98, 99, 100, 88, 89, 93, 96, 432, 433,
434, 678, 684, 698; 313/499, 500; 362/35,
226, 249, 287, 294, 307, 800

DESCRIPTION

FIG. 1 is a front elevation view of the light emitting diode showing my new design;

FIG. 2 is a rear elevation view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view of the design thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a left side elevation view thereof;

FIG. 7 is a perspective thereof; and,


FIG. 8 is a top plan view of the design according to the second embodiment of the invention, indicating a top translucent portion. The front, rear, right side, left side, and bottom views are identical to that of the first embodiment.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,061,160 A * 5/2000 Maruyama 398/201
D439,351 S * 3/2001 Kiba et al. D26/37
D471,166 S * 3/2003 Oshio et al. D13/182
D477,580 S * 7/2003 Kamada D13/182
6,611,049 B2 * 8/2003 Kobayakawa 257/676
6,624,491 B2 * 9/2003 Waitl et al. 257/434

1 Claim, 6 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 494,550 S
APPLICATION NO. : 29/188869
DATED : August 17, 2004
INVENTOR(S) : Toshiyuki Hoshiba

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the front page of the patent, in section (30), please insert the following

--Foreign Application Priority Data

March 3, 2003 (JP)2003-005481--.

On the front page of the patent, in Section (56), under "Foreign Patent Documents", please insert -- (JP) D1102760 03/05/2001--.

Signed and Sealed this

Fifth Day of September, 2006

A handwritten signature in black ink, reading "Jon W. Dudas", is written over a rectangular area with a light gray dotted background.

JON W. DUDAS

Director of the United States Patent and Trademark Office