

US00D494589S1

(12) **United States Design Patent**
Liljestrand et al.

(10) **Patent No.:** **US D494,589 S**

(45) **Date of Patent:** **** Aug. 17, 2004**

(54) **DETECTION DEVICE**

(75) Inventors: **John E. Liljestrand**, Ijamsville, MD (US); **Yukiko Naoi**, New York, NY (US); **Jeffrey Kapec**, Westport, CT (US); **Yoshiyuki Matsuda**, New York, NY (US); **Kazuna Tanaka**, Cos Cob, CT (US); **Carolyn Jeanne Turk**, Silver Spring, MD (US); **Gary William Egerton**, Silver Springs, MD (US)

(73) Assignee: **BioVeris Corporation**, Gaithersburg, MD (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/182,691**

(22) Filed: **May 29, 2003**

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/383**

(58) **Field of Search** D14/420-422,
D14/341, 424, 383, 385, 386; 235/380,
382, 382.5; 250/556; 355/64, 65, 75, 81;
D16/225; 361/680-686

(56) **References Cited**

U.S. PATENT DOCUMENTS

D322,978 S * 1/1992 Yamamoto D16/225

D373,576 S * 9/1996 Liggett D14/341
5,590,021 A * 12/1996 Register 361/681
D453,933 S * 2/2002 Mulcahy et al. D14/420

* cited by examiner

Primary Examiner—Freda S. Nunn

(57) **CLAIM**

The ornamental design for a detection device, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view showing the new design; FIG. 2 is a front elevation view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a side elevation view thereof; FIG. 5 is a side elevation view thereof opposite that shown in FIG. 4; and, FIG. 6 is a rear elevation view thereof.

No bottom plan view is provided since the bottom is unadorned.

The broken lines are shown in the views for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6