

US00D494704S1

(12) **United States Design Patent**
Yu et al.

(10) **Patent No.:** **US D494,704 S**
(45) **Date of Patent:** **** Aug. 17, 2004**

(54) **LIGHT GUIDE PLATE**

(75) Inventors: **Tai-Cheng Yu**, Tu-chen (TW); **Charles Leu**, Fremont, CA (US); **Warren Kun Jung Tsai**, Tu-chen (TW); **Ga-Lane Chen**, Fremont, CA (US)

(73) Assignee: **Hon Hai Precision Ind. Co., Ltd.**, Taipei Hsien (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/174,770**

(22) Filed: **Jan. 24, 2003**

(30) **Foreign Application Priority Data**

Dec. 6, 2002 (TW) 91307083

(51) **LOC (7) Cl.** **26-99**

(52) **U.S. Cl.** **D26/122**

(58) **Field of Search** D26/113, 118,
D26/120, 122; D14/248, 448; 362/31, 558;
349/64, 65, 113, 115; 359/594, 599

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,147,804 A * 11/2000 Kashima et al. 359/599

6,417,831 B2 * 7/2002 Kashima 349/65
6,606,133 B1 * 8/2003 Okabe 349/65
2003/0086030 A1 * 5/2003 Taniguchi et al. 349/61

* cited by examiner

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Wei Te Chung

(57) **CLAIM**

The ornamental design for a light guide plate, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a light guide plate showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7