

US00D494911S1

(12) **United States Design Patent** (10) **Patent No.:** **US D494,911 S**
Hagenbuch (45) **Date of Patent:** **** Aug. 24, 2004**

(54) **TRUCK TAILGATE**

(76) Inventor: **LeRoy G. Hagenbuch**, 504 W.
Northgate Rd., Peoria, IL (US) 61614

(**) Term: **14 Years**

(21) Appl. No.: **29/180,994**

(22) Filed: **May 2, 2003**

Related U.S. Application Data

(62) Division of application No. 29/143,358, filed on Jun. 12, 2001, now Pat. No. Des. 474,725.

(51) **LOC (7) Cl.** **12-16**

(52) **U.S. Cl.** **D12/196**

(58) **Field of Search** D12/196, 93, 14,
D12/15, 98; 296/56, 57.1, 184, 291; 414/421,
491, 498; 298/23 MD, 23 G, 23 DF, 23 R,
23 M, 23 C

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,621,858	A	*	11/1986	Hagenbuch		296/56
4,678,235	A	*	7/1987	Hagenbuch		298/23 DF
5,228,750	A	*	7/1993	Hagenbuch		298/1 B
5,797,657	A	*	8/1998	D'Amico et al.		298/17 R
5,887,914	A	*	3/1999	Hagenbuch		298/23 R
6,092,863	A	*	7/2000	Hagenbuch et al.		296/183.2
D431,221	S	*	9/2000	Smith et al.		D12/196
D433,979	S	*	11/2000	Gerding et al.		D12/196
6,345,858	B1	*	2/2002	Franklin et al.		296/183.1
D474,725	S	*	5/2003	Hagenbuch		D12/196

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Leydig, Voit & Mayer, Ltd.

(57) **CLAIM**

The ornamental design for a truck tailgate, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a truck tailgate here

showing the truck tailgate mounted to a truck body indicated in broken lines and not forming part of the design;

FIG. 2 is another perspective view thereof;

FIG. 3 is a side elevation view thereof, the opposing side being a mirror image of the illustrated side;

FIG. 4 is an end elevation view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a perspective view of a second embodiment a truck tailgate with the only difference being the configuration of the connection of the side arms of the tailgate to the center rear portion of the tailgate;

FIG. 8 is a side elevation view of FIG. 7, the opposing side being a mirror image of the illustrated side;

FIG. 9 is an end elevation view of FIG. 7;

FIG. 10 is a top plan view of FIG. 7;

FIG. 11 is a bottom plan view of FIG. 7;

FIG. 12 is a perspective view of a third embodiment a truck tailgate with the only difference being the configuration of the connection of the side arms of the tailgate to the center rear portion of the tailgate;

FIG. 13 is a side elevation view of FIG. 12, the opposing side being a mirror image of the illustrated side;

FIG. 14 is an end elevation view of FIG. 12;

FIG. 15 is a top plan view of FIG. 12;

FIG. 16 is a bottom plan view of FIG. 12;

FIG. 17 is a perspective view of a fourth embodiment a truck tailgate with the only difference being the configuration of the connection of the side arms of the tailgate to the center rear portion of the tailgate;

FIG. 18 is a side elevation view of FIG. 17, the opposing side being a mirror image of the illustrated side;


FIG. 19 is an end elevation view of FIG. 17;

FIG. 20 is a top plan view of FIG. 17; and,

FIG. 21 is a bottom plan view of FIG. 17.

The truck tailgate is shown mounted to a truck body (indicated in broken lines in FIG. 1) that is shown for illustrative purposes only and that does not form any part of the claimed design.

1 Claim, 21 Drawing Sheets






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18





FIG. 19






FIG. 20

FIG. 21

