

US00D494924S1

(12) **United States Design Patent**
Maruyama

(10) **Patent No.:** **US D494,924 S**

(45) **Date of Patent:** **** Aug. 24, 2004**

(54) **BATTERY**

(75) **Inventor:** **Hiroshi Maruyama, Osaka (JP)**

(73) **Assignee:** **Hitachi Maxell, Ltd., Osaka (JP)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/169,716**

(22) **Filed:** **Oct. 25, 2002**

(30) **Foreign Application Priority Data**

Apr. 26, 2002 (JP) 2002-011553

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/103**

(58) **Field of Search** D13/103; D14/436;
429/96-100, 159, 162, 163, 176

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D298,327 S * 11/1988 Kimura D14/436
- D304,448 S * 11/1989 Cruz et al. D14/436
- D305,886 S * 2/1990 Banjo et al. D14/436

- 4,997,732 A * 3/1991 Austin et al. 429/163 X
- 5,102,753 A * 4/1992 Rossoll et al. 429/162 X
- 5,631,101 A * 5/1997 Amero, Jr. 429/97 X
- D409,973 S * 5/1999 Iwamoto et al. D13/103
- 6,004,690 A * 12/1999 Van Lerberghe 429/100

* cited by examiner

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Birch, Stewart, Kolasch & Birch, LLP


(57) **CLAIM**

The ornamental design for a battery, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the battery;
 FIG. 2 is a front elevational view of the battery;
 FIG. 3 is a rear elevational view of the battery;
 FIG. 4 is a right side view of the battery, the left side view being identical thereto;
 FIG. 5 is a top plan view of the battery; and,
 FIG. 6 is a bottom plan view of the battery.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6