



US00D495184S1

(12) **United States Design Patent**  
**Houle**

(10) **Patent No.:** **US D495,184 S**  
(45) **Date of Patent:** **\*\* Aug. 31, 2004**

(54) **THIN COMPACT DISC RACK**

(75) Inventor: **André Paul Houle**, Chicopee, MA (US)

(73) Assignee: **André Houle**, Chicopee, MA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/187,602**

(22) Filed: **Aug. 4, 2003**

(51) **LOC (7) Cl.** ..... **06-04**

(52) **U.S. Cl.** ..... **D6/630; D6/311**

(58) **Field of Search** ..... D6/310-312, 407,  
D6/629, 630, 478, 479; 206/307, 309, 308.1,  
387.14; 211/36-43, 85.31, 134, 186-189,  
153, 194; 312/9.1, 9.8, 9.41, 9.32, 9.47,  
9.53, 9.59, 9.69

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D356,454 S	*	3/1995	Harris	.....	D6/407
D413,754 S	*	9/1999	Houle	.....	D6/630
D478,237 S	*	8/2003	Houle	.....	D6/630
D478,238 S	*	8/2003	Houle	.....	D6/630
D478,457 S	*	8/2003	Houle	.....	D6/630
D478,458 S	*	8/2003	Houle	.....	D6/630
D478,459 S	*	8/2003	Houle	.....	D6/630

\* cited by examiner

*Primary Examiner*—Cathron Brooks

(57) **CLAIM**

The ornamental design for the thin compact disc rack, as shown and described.

**DESCRIPTION**

The thin compact disc rack is characterized by 3 thin lipped shelved backboards on an angled front attached to two supporting backbones with extendible legs.

FIG. 1 is a front elevational view of the thin compact disc rack showing my new design;

FIG. 2 is a rear elevational view thereof with the leg shown in the open position;

FIG. 3 is a rear elevational view thereof with the leg shown in the closed position;

FIG. 4 is the left side elevation thereof with the leg shown in the open position, the right side being a mirror image thereof;

FIG. 5 is the left side elevation thereof with the leg shown in the closed position, the right side being a mirror image thereof;

FIG. 6 is the top plan view thereof with the leg in the closed position;

FIG. 7 is the bottom plan view thereof with the leg in the closed position;

FIG. 8 is the bottom/rear perspective view thereof with the leg in the open position;

FIG. 9 is a front elevational view of an alternative embodiment thereof;

FIG. 10 is a rear elevational view thereof with the leg shown in the open position;

FIG. 11 is a rear elevational view thereof with the leg shown in the closed position;

FIG. 12 is the left side elevation thereof with the leg shown in the open position, the right side being a mirror image thereof;

FIG. 13 is the left side elevation thereof with the leg shown in the closed position, the right side being a mirror image thereof;

FIG. 14 is the top plan view thereof with the leg in the closed position;

FIG. 15 is the bottom plan view thereof with the leg in the closed position; and,

FIG. 16 is the bottom/rear perspective view thereof with the leg in the open position.

**1 Claim, 6 Drawing Sheets**





Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15



Fig. 16

