

US00D495204S1

(12) **United States Design Patent** (10) **Patent No.:** **US D495,204 S**
Fontaine (45) **Date of Patent:** **** Aug. 31, 2004**

(54) **LIGHTER WITH A SAFETY LOCK**

D469,305 S * 1/2003 Saito et al. D7/416
D478,777 S * 8/2003 Neff et al. D7/416

(75) Inventor: **Walter G. Fontaine**, Narragansett, RI (US)

* cited by examiner

(73) Assignee: **Colibri Corporation**, Providence, RI (US)

Primary Examiner—M. N. Pandozzi
(74) *Attorney, Agent, or Firm*—Salter & Michaelson

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a lighter with a safety lock, as shown and described.

(21) Appl. No.: **29/192,187**

(22) Filed: **Oct. 20, 2003**

DESCRIPTION

(51) **LOC (7) Cl.** **07-99**

(52) **U.S. Cl.** **D7/416**

(58) **Field of Search** D7/416, 417; D27/157, D27/143, 139; 126/25 B, 401, 229; 431/345, 254, 276, 277, 255, 153

FIG. 1 is a perspective view of a lighter with a safety lock showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a perspective view thereof showing the cover in an open position.


The broken lines in the drawings are for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D365,726 S * 1/1996 Hsu D7/416
D405,644 S * 2/1999 Hsu D7/416
D441,605 S * 5/2001 Tubby et al. D7/416
D454,277 S * 3/2002 Chevalier D7/416
D458,512 S * 6/2002 Dijkstra D7/416

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8