

US00D495236S1

(12) **United States Design Patent** (10) **Patent No.:** **US D495,236 S**
Gurzenda (45) **Date of Patent:** **** Aug. 31, 2004**

(54) **PUSH BAR BRACKET**
 (75) **Inventor:** **William Gurzenda, Somerset, PA (US)**
 (73) **Assignee:** **Rockwood Manufacturing Company, Rockwood, PA (US)**
 (**) **Term:** **14 Years**

6,038,891 A * 3/2000 Zeren et al. 70/58
 6,102,451 A 8/2000 Merryman
 6,145,897 A 11/2000 Locher
 D469,336 S * 1/2003 Votruba et al. D8/343
 2001/0006293 A1 7/2001 Rupp
 2002/0153730 A1 10/2002 Mandell et al.
 2002/0153732 A1 10/2002 O'Brien, II

(21) **Appl. No.:** **29/189,513**
 (22) **Filed:** **Sep. 5, 2003**
 (51) **LOC (7) Cl.** **08-07**
 (52) **U.S. Cl.** **D8/343**
 (58) **Field of Search** D8/330, 331, 343,
 D8/344; 70/14, 57, 57.1, 110; 292/336.3,
 92, 93, 195, 198, 200

OTHER PUBLICATIONS

Gallery Specialty Hardware, Section E—Push Bars, Guard Bars, Arborite Bars, http://www.galleriespecialty.com/catalogue/cat_e1.htm.
 Gallery Specialty Hardware, Section B—Pull and Push Bar Combinations, Style 5000 —Horizontal Push Bar, http://www.galleriespecialty.com/catalogue/cat_b2.htm.

* cited by examiner

Primary Examiner—Prabhakar Deshmukh
 (74) *Attorney, Agent, or Firm*—David G. Oberdick; Chiara F. Orsini; Meyer Unkovic & Scott

(56) **References Cited**
U.S. PATENT DOCUMENTS

1,353,523 A	9/1920	Eustege	
1,386,551 A	8/1921	Bumbarger	
2,104,618 A	4/1938	Hasenfuss	
2,871,050 A	1/1959	Dickinson	
3,025,095 A	3/1962	Christensen	
3,464,728 A	* 9/1969	Fox et al.	292/92
4,167,280 A	* 9/1979	Godec et al.	292/92
4,181,335 A	1/1980	Thoren	
4,328,985 A	* 5/1982	Logan	292/201
4,331,354 A	* 5/1982	Helding et al.	292/92
4,631,528 A	12/1986	Handel et al.	
4,790,577 A	12/1988	Helding et al.	
4,839,988 A	* 6/1989	Betts et al.	49/141
4,968,070 A	11/1990	Choi	
D338,392 S	* 8/1993	McKernan	D8/343
D356,938 S	* 4/1995	Duffy	D8/343
5,490,696 A	* 2/1996	Hutson	292/92
5,632,062 A	5/1997	Katz et al.	
5,969,440 A	10/1999	Young et al.	


(57) **CLAIM**

The ornamental design for a push bar bracket, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a push bar bracket showing my new design;
 FIG. 2 is a perspective view thereof, with the hexagonal screw removed from the side aperture;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a front elevational view thereof; and,
 FIG. 7 is a rear elevational view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7