

US00D495317S1

(12) **United States Design Patent**
Sugioka et al.

(10) **Patent No.:** **US D495,317 S**

(45) **Date of Patent:** **** Aug. 31, 2004**

(54) **HEADPHONE WITH AUDIO SOURCE AND PULSE METER**

D448,015 S * 9/2001 Lapalme D14/206
D451,902 S * 12/2001 Gustafson D14/206
D465,848 S * 11/2002 Gehrke et al. D24/164

(75) Inventors: **Shinobu Sugioka**, Ageo (JP); **Yukinori Ido**, Tokyo (JP); **Gen Taharasako**, Yokohama (JP)

* cited by examiner

Primary Examiner—Paula A. Greene

(73) Assignee: **Casio Keisanki Kabushiki Kaisha**, Tokyo (JP)

(74) *Attorney, Agent, or Firm*—Frishauf, Holtz, Goodman & Chick, P.C.

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for headphone with audio source and pulse meter, as shown.

(21) Appl. No.: **29/195,896**

DESCRIPTION

(22) Filed: **Dec. 17, 2003**

(51) **LOC (7) Cl.** **14-01**

(52) **U.S. Cl.** **D14/205**

(58) **Field of Search** D14/188, 192,
D14/205, 206, 223, 248; 181/128, 129,
130; 379/430; 381/381; D24/134, 167,
168, 174

FIG. 1 is a top, front, right side perspective view of a headphone with audio source and pulse meter showing our new design, the cord is drawn broken away to show indeterminate length;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof; and,


FIG. 7 is a bottom plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D403,681 S * 1/1999 Lam D14/223

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7