



US00D495317S1

(12) **United States Design Patent**  
**Sugioka et al.**

(10) **Patent No.:** **US D495,317 S**

(45) **Date of Patent:** **\*\* Aug. 31, 2004**

(54) **HEADPHONE WITH AUDIO SOURCE AND PULSE METER**

D448,015 S \* 9/2001 Lapalme ..... D14/206  
D451,902 S \* 12/2001 Gustafson ..... D14/206  
D465,848 S \* 11/2002 Gehrke et al. .... D24/164

(75) Inventors: **Shinobu Sugioka**, Ageo (JP); **Yukinori Ido**, Tokyo (JP); **Gen Taharasako**, Yokohama (JP)

\* cited by examiner

*Primary Examiner*—Paula A. Greene

(73) Assignee: **Casio Keisanki Kabushiki Kaisha**, Tokyo (JP)

(74) *Attorney, Agent, or Firm*—Frishauf, Holtz, Goodman & Chick, P.C.

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/195,896**

The ornamental design for headphone with audio source and pulse meter, as shown.

(22) Filed: **Dec. 17, 2003**

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **14-01**

FIG. 1 is a top, front, right side perspective view of a headphone with audio source and pulse meter showing our new design, the cord is drawn broken away to show indeterminate length;

(52) **U.S. Cl.** ..... **D14/205**

FIG. 2 is a front elevational view thereof;

(58) **Field of Search** ..... D14/188, 192, D14/205, 206, 223, 248; 181/128, 129, 130; 379/430; 381/381; D24/134, 167, 168, 174

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof; and,


FIG. 7 is a bottom plan view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D403,681 S \* 1/1999 Lam ..... D14/223

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7