

US00D495819S1

(12) **United States Design Patent** (10) **Patent No.:** **US D495,819 S**
Krieger et al. (45) **Date of Patent:** **** Sep. 7, 2004**

(54) **RECHARGEABLE BATTERY OPERATED
CANDLE LIGHT**

(75) Inventors: **Michael Krieger**, Miami Beach, FL
(US); **Kevin Ellsworth**, Hollywood, FL
(US)

(73) Assignee: **Vector Products, Inc.**, Ft. Lauderdale,
FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/179,115**

(22) Filed: **Apr. 7, 2003**

(51) **LOC (7) Cl.** **26-03**

(52) **U.S. Cl.** **D26/104**

(58) **Field of Search** D26/93, 96, 104,
D26/106, 108, 110, 112; 362/410-415,
159, 194, 195, 266, 806

(56) **References Cited**

U.S. PATENT DOCUMENTS

D377,229 S * 1/1997 Shalvi D26/68

D471,663 S * 3/2003 Olson D26/104
D485,004 S * 1/2004 Olson D26/104

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Linda Brooks

(74) *Attorney, Agent, or Firm*—Venable LLP; Robert
Kinberg

(57) **CLAIM**

The ornamental design for a rechargeable battery operated
candle light, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the front-top side of the
rechargeable battery operated candle light showing our new
design;

FIG. 2 is a front view of the design shown in FIG. 1;

FIG. 3 is a rear view of the design shown in FIG. 1;



FIG. 4 is a left side view of the design shown in FIG. 1;

FIG. 5 is a right side view of the design shown in FIG. 1;

FIG. 6 is a top view of the design shown in FIG. 1; and,

FIG. 7 is a bottom view of the design shown in FIG. 1.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7