



US00D495971S1

(12) **United States Design Patent** (10) **Patent No.:** **US D495,971 S**
Uehara et al. (45) **Date of Patent:** **** Sep. 14, 2004**

(54) **BUCKLE**
(75) Inventors: **Ryoichiro Uehara**, Tokyo (JP); **Kayo Fujimoto**, Tokyo (JP)
(73) Assignee: **YKK Corporation**, Tokyo (JP)
(**) Term: **14 Years**
(21) Appl. No.: **29/197,885**
(22) Filed: **Jan. 20, 2004**

Related U.S. Application Data

(62) Division of application No. 29/173,064, filed on Dec. 19, 2002.

(30) **Foreign Application Priority Data**

Jun. 20, 2002 (JP) 2002-016616
Jun. 20, 2002 (JP) 2002-016617
Jun. 20, 2002 (JP) 2002-016618

(51) **LOC (7) Cl.** **02-07**
(52) **U.S. Cl.** **D11/216**
(58) **Field of Search** **D11/200, 201, D11/208-210, 212-218, 220, 231-234, 237, 86-87, 94; 63/15.2, 15; 24/307, 625, 616, 200, 196, 171, 169, 112**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D341,105 S * 11/1993 Lovato D11/216
D381,936 S * 8/1997 Anscher D11/216
D386,124 S * 11/1997 Anscher D11/216
D386,125 S * 11/1997 Anscher D11/218
D447,980 S * 9/2001 Kawamura D11/216
D456,743 S * 5/2002 Uehara et al. D11/218

FOREIGN PATENT DOCUMENTS

JP 1125817 11/2001

* cited by examiner

Primary Examiner—Ralf Seifert
(74) *Attorney, Agent, or Firm*—Bell, Boyd & Lloyd

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a buckle of the claimed design.
FIG. 2 is a front elevational view of the buckle of FIG. 1.
FIG. 3 is a rear elevational view of the buckle of FIG. 1.
FIG. 4 is a top plan view of the buckle of FIG. 1.
FIG. 5 is a bottom plan view of the buckle of FIG. 1.
FIG. 6 is a right side view of the buckle of FIG. 1, and the left side view is a mirror image thereof.
FIG. 7 is a cross-sectional view of the buckle of FIG. 2 taken along the line 7—7.
FIG. 8 is a front elevational view of a male member of the buckle of FIG. 1.
FIG. 9 is a rear elevational view of the male member of FIG. 8.
FIG. 10 is a top plan view of the male member of FIG. 8.
FIG. 11 is a bottom plan view of the male member of FIG. 8.
FIG. 12 is a right side view of the male member of FIG. 8, and the left side view is a mirror image thereof.
FIG. 13 is a cross-sectional view of the male member of FIG. 8 taken along the line 13—13.
FIG. 14 is a front elevational view of a female member of the buckle of FIG. 1.
FIG. 15 is a rear elevational view of the female member of FIG. 14.
FIG. 16 is a top plan view of the female member of FIG. 14.
FIG. 17 is a bottom plan view of the female member of FIG. 14.
FIG. 18 is a right side view of the female member of FIG. 14, and the left side view is a mirror image thereof; and, FIG. 19 is a cross-sectional view of the female member of FIG. 14 taken along the line 19—19.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 6

FIG. 7





FIG. 2

7 ←



7 ←

FIG. 3




FIG. 4



FIG. 5





FIG. 8

13 ←



13 ←

FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13



FIG. 14

19 ←



19 ←

FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19

