

US00D495999S1

(12) **United States Design Patent** (10) **Patent No.:** **US D495,999 S**  
**Lewis** (45) **Date of Patent:** **\*\* Sep. 14, 2004**

(54) **RETAINER FOR ELECTRICAL CORD CONNECTOR**

(76) Inventor: **Carl Ray Lewis**, 1628 Amelia Ave.,  
Jasper, AL (US) 35501

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/187,496**

(22) Filed: **Aug. 4, 2003**

(51) **LOC (7) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/154**

(58) **Field of Search** ..... D13/154, 156;  
439/369

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,994,734	A	*	8/1961	Scofield et al.	.....	D13/156
D319,382	S	*	8/1991	Hunter	.....	D8/354
5,167,524	A	*	12/1992	Falcon et al.	.....	439/369
D368,649	S	*	4/1996	Smartnick	.....	D8/356
D374,815	S	*	10/1996	Snow	.....	D8/394
5,732,445	A	*	3/1998	Stodolka et al.	.....	439/369
5,733,138	A	*	3/1998	Kramer	.....	439/369
5,752,848	A	*	5/1998	Youngmark	.....	439/369
D415,110	S	*	10/1999	Maguire	.....	D13/156
D416,784	S	*	11/1999	Singer	.....	D13/154
6,217,366	B1	*	4/2001	Weisstock	.....	439/367
D456,361	S	*	4/2002	Troxell	.....	D13/154
D475,351	S	*	6/2003	Brown	.....	D13/154

\* cited by examiner

*Primary Examiner*—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Browdy and Neimark,  
P.L.L.C.

(57) **CLAIM**

The ornamental design for a retainer for electrical cord connector, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a flexible retainer for electrical cord connector in accordance with the present design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a side elevational view from one side thereof, the opposite side view being identical thereto;


FIG. 5 is an end elevational view from one end thereof, the opposite end view being mirror symmetrical thereto;

FIG. 6 is an exploded perspective view showing the retainer in a configuration for attachment to a plug of an appliance power cord and a mating female connector of an extension cord; and,


FIG. 7 is a perspective view showing the retainer attached to the plug and the mating female connector.

The plug and the mating female connector are shown in broken lines in FIGS. 6 and 7 to indicate that they do not form part of the ornamental design according to the invention.


**1 Claim, 2 Drawing Sheets**




*FIG. 1*



*FIG. 2*



*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*

