

US00D496165S1

(12) **United States Design Patent** (10) **Patent No.:** **US D496,165 S**  
**Yaourtis** (45) **Date of Patent:** **\*\* Sep. 21, 2004**

(54) **COAT HANGER**

(76) **Inventor:** **Paul Yaourtis**, 104 First Ave., Belfield  
NSW 2191 (AU)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/174,187**

(22) **Filed:** **Jan. 10, 2003**

(30) **Foreign Application Priority Data**

Jul. 19, 2002 (AU) ..... 200202185

(51) **LOC (7) Cl.** ..... **06-08**

(52) **U.S. Cl.** ..... **D6/318**

(58) **Field of Search** ..... D6/513, 315, 318,  
D6/319, 328; 211/113, 115, 119; 223/85,  
87-96, 98, DIG. 1

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,802,610 A \* 4/1974 Love et al. .... 223/94  
3,858,770 A \* 1/1975 Murray ..... 223/94  
D322,175 S \* 12/1991 Chen ..... D6/318  
5,979,721 A \* 11/1999 Curtis ..... 223/94

\* cited by examiner

*Primary Examiner*—B. J. Bullock

(74) *Attorney, Agent, or Firm*—Knobbe, Martens, Olson &  
Bear, LLP

(57) **CLAIM**

The ornamental design for a coat hanger, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a top-front perspective view of a coat hanger in an  
open configuration having a unique configuration of the  
present design;

FIG. 2 is a top-back perspective view of a coat hanger in an  
open configuration having a unique configuration of the  
present design;

FIG. 3 is a bottom-front perspective view of a coat hanger  
in an open configuration having a unique configuration of  
the present design;

FIG. 4 is a front view of a coat hanger in an open configu-  
ration having a unique configuration of the present design;

FIG. 5 is a top view of a coat hanger in an open configuration  
having a unique configuration of the present design;

FIG. 6 is a bottom view of a coat hanger in an open  
configuration having a unique configuration of the present  
design;

FIG. 7 is a side view of a coat hanger in an open configu-  
ration having a unique configuration of the present design;


FIG. 8 is a top-front perspective view of a coat hanger in a  
closed configuration having a unique configuration of the  
present design;


FIG. 9 is a top-back perspective view of a coat hanger in a  
closed configuration having a unique configuration of the  
present design; and,

FIG. 10 is a bottom-front perspective view of a coat hanger  
in a closed configuration having a unique configuration of  
the present design.


FIGS. 4-10 are shown on an enlarged scale.

**1 Claim, 3 Drawing Sheets**






*FIG. 1*




*FIG. 2*



*FIG. 3*



*FIG. 5*




*FIG. 4*




*FIG. 6*




*FIG. 7*



*FIG. 10*



*FIG. 8*



*FIG. 9*