

US00D496233S1

(12) **United States Design Patent** (10) **Patent No.:** **US D496,233 S**
Young et al. (45) **Date of Patent:** **** Sep. 21, 2004**

(54) **COMBINED SCOOP AND SHEATH**

- (75) Inventors: **Michael G. Young**, Mukwonago, WI (US); **Nisha Gupta**, New Berlin, WI (US); **Jayson Pearl**, Shorewood, WI (US); **Chris Davis**, West Bend, WI (US); **Paul Orndell**, Waukesha, WI (US)
- (73) Assignee: **The Colman Group, Inc.**, Elkhorn, WI (US)
- (**) Term: **14 Years**

- (21) Appl. No.: **29/189,042**
- (22) Filed: **Aug. 27, 2003**
- (51) **LOC (7) Cl.** **07-02**
- (52) **U.S. Cl.** **D7/691; D3/215; D7/620**
- (58) **Field of Search** **D7/691, 692, 620; D3/215-225; 30/324-328; 294/55; 248/300, 311.2, 314, 223.41, 224.51, 224.61**

(56) **References Cited**

U.S. PATENT DOCUMENTS

132,134 A	10/1872	Bowers
2,508,947 A	5/1950	Hoke
2,563,223 A	8/1951	Dreher
2,879,023 A	3/1959	Barrier et al.
3,021,106 A	2/1962	Kramer
3,319,916 A	5/1967	Malicoat
3,490,501 A	1/1970	Manem et al.
3,835,580 A	9/1974	Keces
3,840,261 A	10/1974	Fulkerson et al.
3,881,677 A	5/1975	Ihlenfeld
4,301,767 A	11/1981	Willinger et al.
D267,357 S	12/1982	Hillstrom
4,458,960 A	7/1984	Dunst
4,858,869 A	8/1989	Stang
5,086,958 A	2/1992	Nagy

(List continued on next page.)

OTHER PUBLICATIONS

- Superior Products Catalog Company catalog p. 122.
- Cambro catalog p. 69.
- Tablecraft catalog p. 94.
- KatchAll Industries International, Inc. catalog p. 172.
- Primary Examiner*—Terry A. Wallace
- (74) *Attorney, Agent, or Firm*—Adam L. Brookman; Godfrey & Kahn, S.C.

(57) **CLAIM**

The ornamental design of combined scoop and sheath, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined scoop and sheath showing our new design;

FIG. 2 is a left side view of the combined scoop and sheath of FIG. 1; the right side is a mirror image thereof;

FIG. 3 is a front view of the combined scoop and sheath of FIG. 1;

FIG. 4 is a back view of the combined scoop and sheath of FIG. 1;

FIG. 5 is a top view of the combined scoop and sheath of FIG. 1;

FIG. 6 is a bottom view of the combined scoop and sheath of FIG. 1;

FIG. 7 is a perspective view of the sheath shown separately for clarity of illustration;

FIG. 8 is a left side view of the sheath of FIG. 7; the right side is a mirror image thereof;

FIG. 9 is a front view of the sheath of FIG. 7;

FIG. 10 is a back view of the sheath of FIG. 7;

FIG. 11 is a top view of the sheath of FIG. 7;

FIG. 12 is a bottom view of the sheath of FIG. 7;

FIG. 13 is a perspective view of the scoop shown separately for clarity of illustration;

FIG. 14 is a left side view of the scoop of FIG. 13; the right side is a mirror image thereof;


FIG. 15 is a front view of the scoop of FIG. 13;

FIG. 16 is a back view of the scoop of FIG. 13;

FIG. 17 is a top view of the scoop of FIG. 13; and,

FIG. 18 is a bottom view of the scoop of FIG. 1.

1 Claim, 12 Drawing Sheets



US D496,233 S

Page 2

U.S. PATENT DOCUMENTS			
5,106,046	A	4/1992	Rowles et al.
5,419,154	A	5/1995	Christoff
D376,515	S	* 12/1996	Powers D7/691
5,613,660	A	3/1997	Wyatt
5,938,160	A	8/1999	Hartmann et al.
D415,662	S	* 10/1999	Schneider D7/691
D423,884	S	5/2000	Greenwood
6,168,125	B1	1/2001	Winger et al.
D438,979	S	* 3/2001	Gomes et al. D7/691
6,412,842	B1	7/2002	Winston
6,481,679	B1	11/2002	Bennett et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18