

US00D496303S1

(12) **United States Design Patent**
Anscher

(10) **Patent No.:** **US D496,303 S**

(45) **Date of Patent:** **** Sep. 21, 2004**

(54) **BUCKLE**

(76) **Inventor:** **Joseph Anscher**, 1928 Midlane,
Muttontown, NY (US) 11791

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/193,791**

(22) **Filed:** **Nov. 14, 2003**

(51) **LOC (7) Cl.** **02-07**

(52) **U.S. Cl.** **D11/216**

(58) **Field of Search** D11/200, 201,
D11/208-210, 212-218, 220, 231-234,
237, 86-87, 94; 63/15.2, 15; 24/307, 625,
616, 200, 196, 171, 169, 112

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D341,105 S * 11/1993 Lovato D11/216
- D401,533 S * 11/1998 Anscher D11/218
- D423,985 S * 5/2000 Yoshiguchi D11/218

- D447,089 S * 8/2001 Kung D11/216
- D467,837 S * 12/2002 Maruoka D11/216
- D484,070 S * 12/2003 Buscart D11/216

* cited by examiner

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Collard & Roe, P.C.


(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 shows a perspective view of my design for a buckle according to the invention;
 FIG. 2 shows a top view thereof;
 FIG. 3 shows a bottom view thereof;
 FIG. 4 shows a side view thereof, with the opposite side view being a mirror image thereof;
 FIG. 5 shows a front end view thereof; and,
 FIG. 6 shows a rear end view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 5




FIG. 2




FIG. 6




FIG. 3




FIG. 4