

US00D496305S1

(12) **United States Design Patent**  
**Anscher et al.**

(10) **Patent No.: US D496,305 S**

(45) **Date of Patent: \*\* Sep. 21, 2004**

(54) **BUCKLE**

D398,262 S \* 9/1998 Anscher ..... D11/218  
D471,133 S \* 3/2003 Pontaoe ..... D11/218

(75) Inventors: **Joseph Anscher**, Muttontown, NY  
(US); **Paul Matwey**, Mt. Sinai, NY  
(US)

\* cited by examiner

(73) Assignee: **National Molding Corp.**, Farmingdale,  
NY (US)

*Primary Examiner*—Ralf Seifert  
(74) *Attorney, Agent, or Firm*—Collard & Roe, P.C.

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

(21) Appl. No.: **29/197,821**

(22) Filed: **Jan. 21, 2004**

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/218**

(58) **Field of Search** ..... D11/200, 201,  
D11/208–210, 212–218, 220, 231–234,  
237, 86–87, 94; 63/15.2, 15; 24/307, 625,  
616, 200, 196, 171, 169, 112


FIG. 1 shows a perspective view of my design for a buckle;  
FIG. 2 shows a top view thereof;  
FIG. 3 shows a front view thereof;  
FIG. 4 shows a bottom view thereof;  
FIG. 5 shows a rear view thereof; and,  
FIG. 6 shows a side view thereof, with the opposite side  
view being a mirror image thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D340,008 S \* 10/1993 Anscher ..... D11/218

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6