

US00D496330S1

(12) **United States Design Patent** (10) **Patent No.:** **US D496,330 S**  
**Moler et al.** (45) **Date of Patent:** **\*\* Sep. 21, 2004**

(54) **INTEGRAL ACTUATOR WITH HOLLOWED OUT FORCE TRANSFER MEMBER**

(75) Inventors: **Jeff Moler**, Sarasota, FL (US); **John A. Bugel**, Largo, FL (US)

(73) Assignee: **Viking Technologies, L.C.**, Sarasota, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/172,326**

(22) Filed: **Dec. 10, 2002**

(51) **LOC (7) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/101**

(58) **Field of Search** ..... D13/101, 118, D13/152, 158, 173, 174; D15/1-7; 310/328, 330, 348; 361/600, 605, 616; 137/599

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,558,936 A	1/1971	Horan	
3,649,857 A	3/1972	Knappe	
4,435,666 A	3/1984	Fukui et al.	
4,445,065 A *	4/1984	Albert	310/338
4,460,840 A	7/1984	Weiger et al.	
4,570,095 A	2/1986	Uchikawa	
4,647,808 A	3/1987	Shibuya	
4,675,568 A	6/1987	Uchikawa et al.	
4,703,215 A	10/1987	Asano	
4,736,131 A	4/1988	Fujimoto	
4,777,398 A	10/1988	Shibuya	
4,783,610 A	11/1988	Asano	
4,785,215 A *	11/1988	Blech	310/329
4,874,978 A	10/1989	Sakaida et al.	
4,874,980 A	10/1989	Mine et al.	
4,929,859 A	5/1990	Suzuki et al.	
4,937,489 A	6/1990	Hattori et al.	
4,979,275 A	12/1990	Sakaida et al.	
5,028,834 A	7/1991	Sakaida et al.	

5,059,850 A *	10/1991	Yoshimura et al.	310/328
5,191,252 A	3/1993	Sano	
RE34,823 E	1/1995	Sakaida et al.	
5,410,206 A	4/1995	Luecke et al.	
5,479,064 A	12/1995	Sano	
5,712,524 A	1/1998	Suga	
5,881,767 A	3/1999	Loser	
6,025,671 A	2/2000	Boecking	
D430,116 S *	8/2000	Huang	D13/184
6,131,879 A	10/2000	Kluge et al.	
6,250,158 B1 *	6/2001	Stewart	73/504.14
6,404,108 B1 *	6/2002	Yachi et al.	310/330
6,619,122 B1 *	9/2003	Nozoe	73/504.16

\* cited by examiner

*Primary Examiner*—Philip S. Hyder

*Assistant Examiner*—Daniel Bui

(74) *Attorney, Agent, or Firm*—Young & Basile, P.C.

(57) **CLAIM**

The ornamental design for an integral actuator with hollowed out force transfer member, as shown and described.

**DESCRIPTION**

The present design is directed to an ornamental design for the integral actuator with hollowed out force transfer member for moving associated elements of a clamp, valve, or motor, with respect to one another using a piezoelectric actuator.

FIG. 1 is a perspective view of an integral actuator with hollowed out force transfer member, showing my design;

FIG. 2 is a front elevation view thereof.

FIG. 3 is a rear elevation view thereof;


FIG. 4 is a left side elevation view thereof;

FIG. 5 is a right side elevation view thereof; and,

FIG. 6 is a top plan view thereof.

The broken line showing of the environment is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**








FIG - 1


FIG - 2




**FIG - 3**



**FIG - 4**



**FIG - 5**



**FIG - 6**

