

US00D496465S1

(12) **United States Design Patent**
Weaver, II

(10) **Patent No.: US D496,465 S**

(45) **Date of Patent: ** Sep. 21, 2004**

(54) **WRIST BRACE WITH ADJUSTABLE THUMB CLOSURE**

(75) Inventor: **Edward L. Weaver, II**, Milford, OH (US)

(73) Assignee: **Beiersdorf, Inc.**, Wilton, CT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/193,119**

(22) Filed: **Nov. 4, 2003**

(51) **LOC (7) Cl. 24-04**

(52) **U.S. Cl. D24/190**

(58) **Field of Search D24/190; 602/5, 602/6, 13, 20, 21**

5,728,059 A	3/1998	Wiesemann et al.
5,759,166 A	6/1998	Nelson et al.
5,772,620 A	6/1998	Szlema et al.
5,819,313 A	10/1998	McCrane
D403,425 S	12/1998	Taylor et al.
5,873,130 A	2/1999	Lafferty
5,928,172 A	7/1999	Gaylord
5,987,641 A	11/1999	Walker
6,024,714 A	2/2000	Katzin
6,024,715 A	2/2000	Maxwell
D426,640 S	6/2000	Bell et al.
6,099,489 A	8/2000	Herzberg et al.
6,139,513 A	10/2000	Grim et al.
6,142,966 A	11/2000	Hely
6,146,348 A	11/2000	Slautterback
6,186,969 B1	2/2001	Bell et al.
6,190,344 B1	2/2001	Bobroff
6,191,337 B1	2/2001	Himmelsbach

(List continued on next page.)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,533,407 A	10/1970	Smith
3,598,408 A	8/1971	Klose
4,047,250 A	9/1977	Norman
4,138,108 A	2/1979	Robinson
D259,955 S	7/1981	Helferich
D270,556 S	9/1983	Kneisley
4,531,241 A	7/1985	Berger
D285,821 S	9/1986	Kneisley
D288,372 S	2/1987	Adams
4,716,892 A	1/1988	Brunswick
4,854,309 A	8/1989	Elsey
4,883,073 A	11/1989	Aziz
D306,364 S	2/1990	Hamilton
5,014,689 A	5/1991	Meunchen et al.
5,160,314 A	11/1992	Peters
D339,866 S	9/1993	Rice
D340,990 S	11/1993	Kawamura
5,313,667 A	5/1994	Levine
5,356,371 A	10/1994	Hubbard
D357,745 S	4/1995	Radwell
5,415,624 A	5/1995	Williams
5,421,811 A	6/1995	More et al.
5,538,501 A	7/1996	Caswell
5,566,389 A	10/1996	Li
5,695,453 A	12/1997	Neal

FOREIGN PATENT DOCUMENTS

EP	0 162 610 B1	6/1988
EP	0 639 361 A1	2/1995
FR	2 650 176 A1	7/1989

Primary Examiner—Stella Reid

(74) *Attorney, Agent, or Firm*—Alston & Bird LLP

(57) **CLAIM**

The ornamental design for a wrist brace with adjustable thumb closure, as shown and described.

DESCRIPTION


FIG. 1 is a side perspective view of a wrist brace with adjustable thumb closure, showing my new design, in use condition on a left hand;

FIG. 2 is a side perspective view thereof, in use condition on a right hand;

FIG. 3 is an outside view thereof, in open condition; and, FIG. 4 is an inside view thereof; in open condition.

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D496,465 S

Page 2

U.S. PATENT DOCUMENTS

6,200,286 B1	3/2001	Zamani	6,398,748 B1	6/2002	Wilson
6,248,932 B1	6/2001	Himmelsbach	D461,600 S	8/2002	Domanski et al.
6,261,252 B1	7/2001	Darcey	D461,901 S	8/2002	Rodgers
6,267,743 B1	7/2001	Bodenschatz et al.	6,561,994 B1	5/2003	Mills et al.
D456,081 S	4/2002	Bell et al.	D477,088 S	7/2003	Brown et al.
			D477,409 S	7/2003	Mills et al.
			2002/0193719 A1	12/2002	Yewer et al.




FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.